Facility:	Crystal River 2009-301 Date of Examination: 9	8/31- 9/18/2009
Examinat	ions Developed by:	
	Written / Operating Test	
Target Date*	Task Description (Reference)	Chief Examiner's Initials
-180	1. Examination administration date confirmed (C.1.a; C.2.a and b)	3/26/2009
-120	2. NRC examiners and facility contact assigned (C.1.d; C.2.e)	05/04/2009
-120	3. Facility contact briefed on security and other requirements (C.2.c)	3/26/2009
-120	4. Corporate notification letter sent (C.2.d)	05/04/2009
[-90]	[5. Reference material due (C.1.e; C.3.c; Attachment 2)]	N/A
{-75}	6. Integrated examination outline(s) due, including Forms ES-201-2, ES-201-3, ES-301-1, ES-301-2, ES-301-5, ES-D-1's, ES-401-1/2, ES-401-3, and ES-401-4, as applicable (C.1.e and f; C.3.d)	06/17/2009
{-70}	{7. Examination outline(s) reviewed by NRC and feedback provided to facility licensee (C.2.h; C.3.e)}	6/23/2009
{-45}	8. Proposed examinations (including written, walk-through JPMs, and scenarios, as applicable), supporting documentation (including Forms ES-301-3, ES-301-4, ES-301-5, ES-301-6, and ES-401-6), and reference materials due (C.1.e, f, g and h; C.3.d)	07/22/2009
-30	9. Preliminary license applications (NRC Form 398's) due (C.1.1; C.2.g; ES-202)	07/31/2009
-14	10. Final license applications due and Form ES-201-4 prepared (C.1.1; C.2.i; ES-202)	08/10/2009
-14	11. Examination approved by NRC supervisor for facility licensee review (C.2.h; C.3.f)	08/10/2009
-14	12. Examinations reviewed with facility licensee (C.1.j; C.2.f and h; C.3.g)	08/10/2009
-7	13. Written examinations and operating tests approved by NRC supervisor (C.2.i; C.3.h)	8/17/2009
-7	14. Final applications reviewed; 1 or 2 (if >10) applications audited to confirm qualifications / eligibility; and examination approval and waiver letters sent (C.2.i; Attachment 4; ES-202, C.2.e; ES-204)	8/17/2009
-7	15. Proctoring/written exam administration guidelines reviewed with facility licensee (C.3.k)	8/17/2009
-7	16. Approved scenarios, job performance measures, and questions distributed to NRC examiners (C.3.i)	8/17/2009

<sup>\*</sup> Target dates are generally based on facility-prepared examinations and are keyed to the examination date identified in the corporate notification letter. They are for planning purposes and may be adjusted on a case-by-case basis in coordination with the facility licensee.

[Applies only] {Does not apply} to examinations prepared by the NRC.

Ttom	Task Description		Initial	s		
Item	Task Description	a	b*	all		
1.	a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401.	AK	H	4		
W R	R of ES-401 and whether all K/A categories are appropriately sampled.  I C. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics  T					
T						
E N	E N d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.					
2.	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.	AK	H	1		
S I M U L A	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and that scenarios will not be repeated on subsequent days.	AK	46	<b>X</b>		
T O R	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	AK	K	\$		
3. W	<ul> <li>a. Verify that the systems walk-through outline meets the criteria of Form ES-301-2:</li> <li>(1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form</li> <li>(2) task repetition from the last two NRC examinations is within the limits specified on the form</li> <li>(3) no tasks are duplicated from the applicants' audit test(s)</li> <li>(4) the number of new or modified tasks meets or exceeds the minimums specified on the form</li> <li>(5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form.</li> </ul>	AK	#	ķ		
T	b. Verify that the administrative outline meets the criteria specified on Form ES-301-1:  (1) the tasks are distributed among the topics as specified on the form  (2) at least one task is new or significantly modified  (3) no more than one task is repeated from the last two NRC licensing examinations	AK	48	X		
	c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.	AK	18	N.		
4.	Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam sections.	AK	Ap,			
G	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate					
E N	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5					
E	d. Check for duplication and overlap among exam sections.	AK	H			
R A	e. Check the entire exam for balance of coverage.	AK	#	17		
L	f. Assess whether the exam fits the appropriate job level (RO or SRO)	AK	H	B		
	Printed Name / Signature		Da	te		
. Autho	Alan Kennedy Wan Lanneel		06/1	0/09		
. Facili	ry Reviewer (*) Floyd Lawrence / Long & January	_	06/1	1/09		
. NRC	Chief Examiner (#) GERMON W. LASKA J. Sway W. Sway W. LASKA J. Sway W. Sway	<u> </u>	26/25	120		
l. NRC	Supervisor MALOUIT. WIDUANU / JULIAN EUL	0	8/26/	09		

# CRYSTAL RIVER -3 Z009-301

ES-201

**Examination Security Agreement** 

Form ES-201-3

#### 1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE SIGNATURE (2)	DATE NOTE
1. Alan Kennedy	Instructor / Facility Author	Clar Denney	01/29/09 (Dan Jamy)	9/22/09
2. TRUC DUONG	SIMULATOR ENTINEER	-knophot	2/10/09 2/10/0	9/28/09
3. PERRY L. RUSE	SIMULATOR ENGINEER	Lang L. Kose	02-10-09	*
4. GEORGE M. MURAHY	SR NUC OPS INSTR	Ly 1. Vary	3/31/09 Len lands	9/24/09
, ,	So Nuc Of (N)TA	Jul	4/11/69 NA	9/28/09
6. Floyd Lawrence	SUPV. GIT	Alog ELO	4/17/9 Along / Jaune	9/2469
7 Jenniter Livin	geton Admin	A da	4/25/09	7/23/07
8. Eddie Riffle	CRS-	TAR	4-28-9	· 9-75-9
NOTES:				
Discussed Email LEXA	msecurity) Concern with G	ERRY LASKA tODAY, 5-28-	69. ACR 00337816	
Confirmed via Telcon	on 10/1/B	·		
	A WII/09			

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

#### 2. Post-Examination

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
	1. MARICGARISON	CNO	Mush	4/2019	Well	9/26/9
	2. A. Lee Linten	Sim. Support	NAS)	4/29/09	10 18	9/27/09
*	3. Mary Bracewell	SRO	Mary Brocewell	5/7/09	May Brocewel	V 9/23/09
,	4. Robert BOLIN	EXAM DEVELOPER-BNP	Robert Bol:	5/20/09	**	
	5. Ernest Lee	CNO	EntLee	20 Mey04	Enert Lee	265ept 09
	6. BRANDON WEBSTER	CNO	3	5.20.9	3>	9.26.9
	- Pichardo. Man	e Exam Reviewet	200 Nov	~ 5/20/0	9	
	8. Archie Lucky	Examleview HNP	archie study	5/20/09	$\rightarrow$	
	NOTES:	,		, , ,		
	* Confirme	ed via Email on 9/28/6	39			
	• •	, ¹ ,	28/09			

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

	<b>,</b>			_	
PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURET(2)	DATE NOTE
1. Gur McCaucun	Shiet HANAGER	- Joseph - J	5/22/09	1 Jacob	9-26-09
2. Rick Meltan	Shift Monoger	Quel 6	5/23/09	White	9/27/09
3. John R Seek	Ocure OTM	Lo Po Face	6/12/09		X
4. MARK VAN STILLE	la SOT	Malle	26 7/1/09 /	MMLL	L 9/22/9
5. Mike Kelly	marshit ofs	molle	7/19	BUUL _	9/26/9
6. (HRISTORIEN ARIA)	REACTOR CREMETON	Modern	7/0/09	( ) Jakok	9/26/09
7. William A Krchely	STA OPS	Wakehily	7-7-09	Wakeh	My 9.27-09
8. John O Taylor	STA JOKS	WTG	7/7/09	May	9/76/09
NOTES:				<i>[</i>	•
& Confirmed vi	A Email on 9/30/m A 8	13cl so			

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1. RONALD TYRIZ.	Shift Managen "E" CREW	255	obliston	RDW	9/26/09
2. William F-Kisner Jc	CRS/B' crews	William AKroner	7/11/9_	Williamskin	1. 9/27/9
3. Charles J. Mom3TI	Operations Manager	Casta	7/14/9	MALI	1/26/9
4. D. MCAGY	Sm/Barn	Shis	7.16.9	DAC)	9.26.9
5. JAMES T. ATKINSON	eno/D'eren	Il Atham	1/17/4	59 Stillation	- 9/36/69
6.ES MUR	CNO/D CREW	2461	7/29/9	IJ M	9.26.9
7. R. Llewellyn	Instructor	50000X	8-4-9	RAYJU	7-23-9
8. <u>Brian Barnhart</u> NOTES:	Intern		8-5-09	Malk	9.22.9
(1) Returned to UF	Mark 9.229				

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 08/31/09 thru 09/21/09 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. <u>Post-Examination</u>

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE SIGNATURE (2)	DATE NOTE
1 Jack Springer	Consylot	S-97	8/17/09/28/	9/28/09
2. B. WEDSTER	CNO .		8,26.9	daplicate MB
3. Scott Kujak	SRO Instructor	Scott Lujak	8/27/09 & Kuja	<u></u>
4. Alan Schilk	Support	10-	8/27/09	9/23/69
5. Steve Conter	SRO Instructor	State	8-31-09 Af Colo	8/3/109
6. ROBERT K MONTHOMETRA	sao sustructor	R	1/3/1/9	8/31/09 N 8/31/09
7. Broussard, Mark	Lead	Mark	8.31.9 Marks	9.22.9
8. Dixon, Phyllis NOTES:	Thing Mgr	Japato Da	8/31/09 Jepur	9/22/09
A con Charles Via	Empil on 9/29/10 # 9/29/10	,		

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1. Myke FURIOSI	SR OPS Instruction	Mf turiori	8/3//09		
2. Robert E. Murray	Shift Manager / Surrogate	Notret & Munay	9/1/09	( Kled E Muray	9/23/09,
3. Leon Gagne	5RO / Validet	Lind Thigh	9.3.9	Land State	9/26/97
4. Stephen Bett	s Ro	S2 Bat	9-3-9	<u>↓</u>	
5. R.G. Suber	crs /sro	0000	9/3/9	7 Suber	- 9/23/9
6. James Holt	P6M	1 That	9/3/9	1 L Hou	9/23/09
7. Timothy M. Maroney	Nuc Ops Specialist	unothysel Maroney	9/10/09/	unoflyful py	aroney 9/25/05
8. JONATHAN HUECKER	SHIFT MANAGER		9/14/09	follow.	- 4/23/9
NOTES: A Confiemed M	in Email on 9/28/09 - 4/28/09		,	,	

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

### 2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of <u>08/31/09 thru 09/21/09</u>. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

1. Michael Kennard SRO Direct Well The 9-17-09	*
2	
3	
4	
5	
6	
7	
8	

\* Confiemes via Email on 10/1/09 \* 10/1/09

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1. Alan Kennedy	Instructor / Facility Author\	Clan Benney	01/29/09		
2. TRUC DUONG	SIMULATOR ENGER	-kuophit	2/10/09		
3. PERRY L RUSE	SIMULATOR ENCINEER	Pany L. Rose	02-10-09		
4. GEORGE M. MURAHY	SE NUC OPS INSTR	LA 11. 12/2	3/3//09		
, ,	So Nor Of WITH	Jul	4/11/69		
6. Floyd Lawrence	SUPV. GIT	Alog E Les	4/17/9		
7. Jenniter Livir	gestor Admin	A da	* -	4/28/09	
8. Eddie Rittle		TAR	4-2	8-9	
NOTES: E DiscussED EMAIL (EXA	msecurity) Concern with G	erry LASKA today, 5-28	-69. AK NO	R 00337816	

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1. MARICGARISON	CNO	Mush	4/28/9		
2. A. Lee Linten	Sim. Support	199	4/29/09		
3. Mary Bracewell	SRO	Mary Bracewell	5/7/09	w/	
(	EXAM DEVELOPER-BNP	Tolut Gol:	5/20/09		
5. Ernest Lee	CNO	Emffee	20 Meyoq		
6. BRANDON WEBSTER	CNO	To have	5,20.9		
7. Lichard O. Maon	x Exam Reviewet	2001/or	~ <u> </u>	7	
8. Archie Lucky	Exampleview HMP	auki stuky	5/20/09		
NOTES:			• •		

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1	Gur McCauren	Shift MANAGER	- Lecly	5/22/09		
	Rick Meltan	Shift Monager	Due 6	5/23/09		
3			-			
4		AND CONTRACTOR OF THE PARTY OF				
5						
6						
7						
8			-			
NO	TES:					



Copy

ES-201

**Examination Security Agreement** 

Form ES-201-3

#### 1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1. Alan Kennedy	Instructor / Facility Author	Clan Benney	01/29/09		
2. TRUC DUONG	SIMULATOR ENGINEER	-knophit	2/10/09		
3. PERRY L RUSE	SIMULATOR ENGINEER	Long L. Kose	02-10-09		
4. GEORGE M. MURGHY	SR NUC OPS INSTR	Ly1. 12/2	3/3//09		
, ,	So Nor Of WITH	Jul	4/11/69		
6. Floyd Lawrence	SUPV. GIT	Alog ELO	4/17/9		
7. Jennister Lyin	much notes	A Da	<u> </u>	4/28/09	
8. Eddie Riffle		799	4-2	8-9	
NOTES:	·		1/	-0 007214//-	
K Discussed Empil Cexa	msecurity) CONCERN with G	GERRY LASKA HODAY, 5-28.	-09. AK NO	16 00221016	

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

#### 2. Post-Examination

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	<b>D</b> ATE	SIGNATURE (2)	DATE NOTE
1	MARKEGARNSON_	CNO	Mach	4/20/9		
2	Lee Linten	Sim. Support	199	4/29/09		
3. <b>/</b>	lary Bracewell	SRO	Mary Brocewell	5/7/09		
		EXAM DEVELOPER-BNP	Tolut Goli	5/20/09		
5. <u>E</u>	inest Lee	CNO	Emffer	20 Meyog		
6. <u>Z</u>	BRANDON WEBSTER	CNO	<b>3</b>	5.20.9	· · · · · · · · · · · · · · · · · · ·	
7.	ichardo. Maon	x Exam Reviewet	AD Nov	5/20/09	7	
8. <u>/</u>	Archie Lucky	Exampleview HMP	auchi study	5/20/09		
NOT	ES:			. ,		

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

#### 2. Post-Examination

			\			
	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1.	Gur McCaucian	Shiet Manager	Lect	5/22/09		
2.	Rick Meltan	Shift Monager	Melo	5/23/09		
	John R Steely	Ocure OTM	Loft feet	6/12/09		
4.	MARK VAN SILL	lu 50T	Malle	16 7/1/09		
	mike Kella	marshit ofs	mstille_	7/19		
	( HRISTOHER ARM	REPETER CHEMITER	Therman	7/6/09		
	William A Kreheh	<b>^</b>	Wakehly	7-7-09		
	Joun O Taylor	• .	WIGH	1/7/09		
NC	OTES:	•				

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <u>08/31/09 thru 09/21/09</u> as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

# 2. Post-Examination

PRINTED NAM	IE JOB TITLE	/ RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE NOTE
1. RONALD 14	212 Shift Mad	igen "E" CREW	255	obliston		
2. William F-Kis		•	William F.Kromer	7/11/9		
3. Charles J. Mon			COPS/IN	7/14/9		
4. D. MCAGY	· ·	F //	Shir	7.16.9		
5. JAMES T. Arkin			It. Attim	1/17/0	9	
6			<i>y</i>	, ,		
7						
8						
NOTES:						

Facility: Crystal Ri	ver Unit #3	Date of Exam: 08/31/09 thru 09/18/09
Examination Level: RO		RO 🛮 Operating Test Number: 1
Administrative Topic (See Note)	Type Code*	Describe activity to be performed
Conduct of Operations	D, R	SRO Only – (CO1) – Determine actions for primary to secondary leakage.  K/A – G2.1.25 SRO 4.2  CP-152
Conduct of Operations	M, R	RO & SRO – (CO2) – Perform a time to boil / core uncovery calculation.  K/A – G2.1.23 RO 4.3 SRO 4.4  OP-103H
Equipment Control	D, R	RO & SRO – (EC1) – Perform a monthly NI Imbalance Comparison. $K/A - G2.2.12 \text{ RO } 3.7 \text{ SRO } 4.1$ SRO Only – After completing the Imbalance Comparison determine required ITS actions, if any. $K/A - G2.2.40 \text{ SRO } 4.7$ SP-312B
Radiation Control	D, M, P, R	$RO \& SRO - (RC1) - Calculate the maximum permissible stay time with an Emergency Event in progress.  K/A - G2.3.4 \ RO \ 3.2 \ SRO \ 3.7 EM-202$
Emergency Procedures / Plan	D, S	RO – (EP1) – Make required notifications using provided State of Florida Notification Message form.  SRO Only – (EP2) – Determine Emergency Action Level and Protective Action Recommendations.  K/A – 2.4.43 RO 3.2 SRO 3.8  EM-202
H NOTE:		equired for SROs. RO applicants require only 4 items unless the administrative topics, when all 5 are required.
* Type Codes & Criteria	: (	(C)ontrol room, (S)imulator or Class(R)oom (D)irect from bank (≤3 for ROs; ≤4 for SROs & RO retakes) (N)ew or (M)odified from bank (≥1) (P)revious 2 exams (≤1; randomly selected)

Facility: Crystal River Unit #3 Date of Exam: 08/31/09 thru 09/18/09											
Exam Level: RO 🗵 SRO-I 🗵 SRO-U 🗵	Operating Test Numb	per: 1									
Control Room systems <sup>@</sup> (8 for RO; 7 for SRO-I; 2 or 3 for S	SRO-U, including 1 ESF)										
System / JPM Title		Type Code*	Safety Function								
a. CA – Perform an RCS Boration K/A – 024AA2.04 RO 3.4 SRO 4.2 (EOP-2)	[SRO-U] [RO, SRO-I]	A, D, S	1								
b. CVCS – Restore PZR level during OTSG tube rup K/A – 006A4.02 RO 4.0 SRO 3.8 (EOP-6)	ture [SRO-U] [RO. SRO-I]	A, D, P, S	2								
c. RCS – Respond to a stuck open PZR spray valve K/A – 002A4.01 RO 4.2 SRO 4.4 (AP-520)	[RO, SRO-I]	A, D, L, P, S	3								
d. S/GS – Establish EFW flow to raise OTSG level K/A – E03EA1.3 RO 3.6 SRO 3.8 (EOP-3)	[RO. SRO-I]	D. S	4 Primary								
e. MSS – Perform actions for a stuck open MSSV K/A – 039A2.04 RO 3.4 SRO 3.7 (EOP-2)	[RO. SRO-I]	D, P, S	4 Secondary								
f. CCS – Ensure proper alignment of ES equipment K/A – 022A4.01 RO 3.6 SRO 3.6 (EOP-2)	[SRO-U] [RO. SRO-I]	A, EN, N, S	5								
g. AC – Energize a dead bus K/A – 062A2.05 RO 2.9 SRO 3.3 (AP-770)	[RO]	D, S	6								
h. ES – Respond to an invalid ES Actuation K/A – 008A3.08 RO 3.6 SRO 3.7 (AP-340)	[RO, SRO-I]	A, D, EN, S	8								
SPARE MU – Restart a MUP following an RCS I K/A – 002A2.01 RO 4.3 SRO 4.4 (AP-		D, S	2								
In-Plant Systems <sup>@</sup> (3 for RO; 3 for SRO-I; 3 or 2	for SRO-U)										
i. PPCS – Depressurize the RCS using HP Aux. Spra K/A – E14EA1.1 RO 3.8 SRO 3.6 (EOP-14, End	e. 13) <b>[RO. SRO-I]</b>	D, E, R	3								
j. DHR – Establish DHR from outside control room K/A – A06AA1.1 RO 4.3 SRO 4.2 (AP-990)	[SRO-U] [RO, SRO-I]	E, L, N, R	4 Primary								
k. AC – Transfer vital bus to normal power supply K/A – 062A3.04 RO 2.7 SRO 2.9 (OP-703)	[SRO-U] [RO, SRO-I]	D	6								
SPARE FS/OTSG – Transfer excess secondary in K/A – 038EK3.06 RO 4.2 SRO 4.5 (EC	· · · · · · · · · · · · · · · · · · ·	D, E	3, 8								
All RO and SRO-I control room (and in-plant functions; all 5 SRO-U systems must serve di may overlap those tested in the control room.											
* Type Codes	Criteria for R	O / SRO-I / SRC	)-U								
(A)Iternate path (C)ontrol room (D)irect from bank (E)mergency or abnormal in-plant (EN)gineered safety feature (L)ow Power / Shutdown (N)ew or (M)odified from bank including 1 (A) (P)revious 2 exams	(control room system)	4-6/4-6/2-3 4-6/4-3 4-6/4-3									
(R)CA (S)imulator		≥ 1 / ≥ 1 / ≥ 1									

 $Page \ 1 \ of \ 1 \ \text{H:NRC - 2009 Nost Prep Week NPM Plant NRC 2009 Form ES-301-2 (JPM MCR-Plant Outline) FINAL.docx} \ ES-301-2 (JPM MCR-Plant Outline) FINAL.docx \ ES-301-2 (JPM MCR-Plant Outline) FINA$ 

	Crystal River Unit 3	Date of Exam: 08/31/09 thru 09/21/09 Operating Tes	it No:	1	
				Initial	s
		1. General Criteria	Α	B*	G#
a.		orms with the previously approved outline; changes are consistent with e.g., 10 CFR 55.45, operational importance, safety function distribution).	AK	FL	*
b.	There is no day-to-day reduring this examination.	epetition between this and other operating tests to be administered	AK	FL	1
C.	The operating test shall n	ot duplicate items from the applicants' audit test(s). (see Section D.1.a.)	AK	FL	M
d.	Overlap with the written acceptable limits.	examination and between different parts of the operating test is within	AK	FL	K
e.	It appears that the opera applicants at the designa	ating test will differentiate between competent and less-than-competent ated license level.	AK	FL	N.
		2. Walk-Through Criteria			
b.	reasonable and val designation if deem     operationally impor     detailed expect system respor     statements de     criteria for succentrictions on  Ensure that any changes outlines (Forms ES-301-1)	Is, including associated procedures idated time limits (average time allowed for completion) and specific ned to be time-critical by the facility licensee tant specific performance criteria that include: cted actions with exact criteria and nomenclature and other examiner cues escribing important observations to be made by the applicant excessful completion of the task of critical steps and their associated performance standards the sequence of steps, if applicable  from the previously approved systems and administrative walk-through and 2) have not caused the test to deviate from any of the acceptance	AK	FL	A A
	criteria (e.g., item distrib on those forms and Forn	ution, bank use, repetition from the last 2 NRC examinations) specified	AK	rL	۲
		3. Simulator Criteria	<u> </u>		1
The asso	ciated simulator operating -301-4 and a copy is attact	tests (scenario sets) have been reviewed in accordance with hed.	AK	FL	W
c. NR	ility Reviewer(*)	Floyd Lawrence April June 07/2  FRANCO W. LASKA Herend W. June 08/2	Di 20/09 20/09 5/206 26/09	ate	

Facility:	ru 09/	21/09												
Scenario	Scenario Numbers: 1 / 2 / 3 / 4 Operating Test Number: 1													
	QUALITATIVE ATT	DIDITEC					]	Initial	S					
	QUALITATIVE ATT	KIBUTES					a	b*	c#					
1.	1. The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.													
2.	The scenarios consist mostly of related events.						AK	FL	All					
3.	Each event description consists of:  the point in the scenario when it is to be the malfunction(s) that are entered to init the symptoms/cues that will be visible to the expected operator actions (by shift potential) the event termination point (if applicable)	tiate the event the crew osition)					AK	FL	H					
4.	No more than one non-mechanistic failure (e.g., without a credible preceding incident such as a s		ncorpor	ated into	the sce	nario	AK	FL	A CIN					
5.	The events are valid with regard to physics and t	thermodynamic	s.				AK	FL	Ho					
6.	Sequencing and timing of events is reasonable, a complete evaluation results commensurate with				ı to obta	iin	AK	FL	A					
7.	If time compression techniques are used, the sce Operators have sufficient time to carry out expec Cues are given.					raints.	N/A	N/A	Aft					
8.	The simulator modeling is not altered.						AK	FL	4					
9.	The scenarios have been validated. Pursuant to performance deficiencies or deviations from the ensure that functional fidelity is maintained whi	referenced plan	nt have b	een eva	luated to	)	AK	FL	A					
10.	Every operator will be evaluated using at least o All other scenarios have been altered in accorda					rio.	AK	FL	#					
11.	All individual operator competencies can be eva (submit the form along with the simulator scena		ied using	g Form I	ES-301-	6	AK	FL	A.					
12.	Each applicant will be significantly involved in specified on Form ES-301-5 (submit the form w				nts and	events	AK	FL	A C					
13.	The level of difficulty is appropriate to support l	icensing decision	ons for e	each crev	w positio	on.	AK	FL	H					
	Target Quantitative Attributes	<del> </del>	A	ctual A	ttribut	tes								
	(Per Scenario; See Section D.5.d)		1	2	3	4								
1.	Total malfunctions (5–8)		7	8	8	7								
2.	Malfunctions after EOP entry (1-2)		2	2	2	2								
3.	Abnormal events (2–4)		2	2	2	3								
4.	Major transients (1–2)		1	1	1	1								
5.	EOPs entered/requiring substantive actions (1-2	2)	2	1	2	2								
6.	EOP contingencies requiring substantive actions	s (0–2)	1	1	0	1								
7.	Critical tasks (2–3)		3	2	3	3								

Facility: C	: Crystal River #3 Date of Exam: 08/31/09 thru 09/21/09 Operating Test No.: 1																
Α	Е					Scer	narios	– CRE	EW 1	- 2 SI	₹O-I,	1 RO					
P P	V E		1			2			3			4		Т		M.	-
L	N T	1	REW		CREW POSITION			CREW POSITION		CREW POSITION			O T A	١	   		
CAN	T	S R O	A T C	ВОР	S R O	AFC	В О Р	SRO	A T C	вор	S R O	A T C	ВОР	L	ί	M J M(*)	U
Т	P E																
RO	RX	1												1	1	1	0
SRO-I	NOR	4											4	2	1	1	1
SRO-U	I/C	2/5/8 /9							3/9				2/6/9	9	4	4	2
	MAJ	7							5				7	3	2	2	1
	TS	3/6												2	0	2	2
	RX		1											1	1	1	0
RO	NOR										4			1	1	1	1
SRO-I SRO-U	I/C		2/6/9					3/4/6 /7/8/ 9			2/3/6 /8/9			14	4	4	2
	MAJ		7					5			7			3	2	2	1
	TS							1/2			1/5			4	0	2	2
RO	RX											3		1	1	1	0
	NOR			4			-							1	1	1	1
SRO-I	I/C			3/5/ 8			,			1/4/6 /7/8		5/6/8		11	4	4	2
SRO-U	MAJ			7						5		7		3	2	2	1
	TS													0	0	2	2
RO	RX														1	1	0
SRO-I	NOR														1	1	1
	I/C														4	4	2
SRO-U	MAJ														2	2	1
	TS						<u> </u>	<u></u>			<u> </u>				0	2	2

- 1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO additionally serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or controlled abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- 3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: <b>C</b>	rystal R	iver #3	ver #3 Date of Exam: 08/31/09 thru 09/18/09 Operating Test No.: 1														
Α	E					Scer	arios -	- CRE	W 2	- 2 SF	₹O-I,	1 RO				<del></del>	
P P	V E		1			2			3			4		Т	ı	vi I	
L	N T		REW			CRE\ SITI			REV			CREV	-	O T A	1	   	
C A N	T Y	0 R O	A T C	вор	S R O	O I V	ВОР	S R O	A T C	ВОР	SRO	A T C	вОр	L	Į N	Λ (*)	
T	P E														R	İ	U
RO	RX	1									_			1	1	1	0
SRO-I	NOR	4												1	1	1	1
SRO-U	I/C	2/5/8 /9					1/2/4/ 8		3/9					10	4	4	2
	MAJ	7					6		5					3	2	2	1
	TS	3/6												2	0	2	2
DO	RX		1											1	1	1	0
RO	NOR					_								0	1	1	1
SRO-I SRO-U	I/C		2/6/9		3/4/5 /7/8			3/4/6 /7/8/ 9						14	4	4	2
	MAJ		7		6			5						3	2	2	1
	TS				1/2			1/2						4	0	2	2
RO	RX													0	1	1	0
SRO-I	NOR			4										1	1	1	1
SRO-U	I/C			3/5/ 8		3/5/ 7				1/4/6 /7/8				11	4	4	2
	MAJ			7		6				5				3	2	2	1
	TS													0	0	2	2
RO	RX														1	1	0
SRO-I	NOR														1	1	1
	I/C														4	4	2
SRO-U	MAJ														2	2	1
	TS	<u></u>													0	2	2

- 1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO additionally serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or controlled abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- 3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: (	y: Crystal River #3 Date of Exam: 08/31/09 thru 09/18/09 Operating Test No.: 1																
Α	E					Scer	narios -	- CRI	EW 3	- 2 SI	RO-I,	1 RO					
P P	V		1		i	2			3			4		Т		VI.	
L I	N		REW			CREV OSITI			CREW		1	CREW		O T A	1	1	
C A N T	T Y P E	S R O	A H O	пОш	% R O	ATC	ВОР	⊗ R O	OIV	B O P	S R O	OHD	вОр	L	l	M J M(*)	U
RO	RX	1										3		2	1	1	. 0
SRO-I	NOR	4												1	1	1	1
SRO-U	I/C	2/5/8 /9					1/2/4/ 8					5/6/8		11	4	4	2
SRU-U	MAJ	7					6					7		3	2	2	1
	TS	3/6		!										2	0	2	2
RO	RX		1											1	1	1	0
	NOR										4			1	1	1	1
SRO-i	I/C		2/6/9		3/4/5 /7/8						2/3/6 /8/9			13	4	4	2
SRO-U	MAJ		7		6						7			3	2	2	1
	TS				1/2						1/5			4	0	2	2
RO	RX													0	1	1.	0
	NOR			4									4	2	1	1	1
SRO-I	I/C			3/5/ 8		3/5/ 7							2/6/9	9	4	4	2
SRO-U	MAJ			7		6							7	3	2	2	1
	TS													0	0	2	2
RO	RX														1	1	0
SRO-I	NOR														1	1	1
	I/C														4	4	2
SRO-U	MAJ	ļ	ļ					<b></b>	L	<u> </u>	<u> </u>	<u> </u>	<b> </b>	<u> </u>	2	2	1
	TS	<u>L</u>		<u> </u>		<u> </u>	<u> </u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>	0	2	2

- 1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO additionally serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or controlled abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- 3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: <b>C</b>	rystal R	iver #3 Date of Exam: 08/31/09 thru 09/18/09 Operating Test No.: 1															
Α	Е				Scen	arios	- CR	EW 4	- 1 S	RO-I,	1 SR	O-U,	1 RO				
P P	V E		1			2			3			4		Т		VI.	
L	N T		REW			CRE\ SITI			CREV			CREW		O T A	1	   	
C A N T	T Y P	S R O	A T C	ВОР	S R O	A T C	B O P	S R O	A T C	В О Р	S R O	A T C	В О Р	L	ί	M (*)	U
	E																
RO	RX													0	1	1	0
SRO-I	NOR													0	1	1	1
SRO-U	I/C				3/4/5 /7/8				3/9					7	4	4	2
380-0	MAJ				6				5					2	2	2	1
	TS				1/2									2	0	2	2
	RX													0	1	1	0
RO	NOR												-	0	1	1	1
SRO-I SRO-U	I/C					·	1/2/4/ 8	3/4/6 /7/8/ 9						10	4	4	2
	MAJ						6	5						2	2	2	1
	TS							1/2						2	0	2	2
RO	RX													0	1	1	0
SRO-I	NOR													0	1	1	1
SRO-U	I/C					3/5/ 7				1/4/6 /7/8				8	4	4	2
	MAJ					6				5				2	2	2	1
	TS													0	0	2	2
RO	RX														1	1	0
SRO-i	NOR														1	1	1
	I/C							<u> </u>							4	4	2
SRO-U	MAJ														2	2	1
	TS														0	2	2

- 1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO additionally serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- 2. Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- 3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Crystal River #3	Dat	e of E	xam:	08/31/	09 thru	09/21/	09	Ор	erating	g Test	No.: 1	
						APPL	ICANT	S				
		) RO-I RO-U			RO SR SR				RO SRO SRO	_		·
Competencies		SCE	VARIO	)		SCEN	IARIO			SCEN	IARIO	
	1	2	3	4	1	2	3	4	1	2	3	4
Interpret/Diagnose Events and Conditions	2/3/5/ 6/7/8/ 9	1/2/3/ 4/5/6/ 7/8	1/3/4/ 5/6/7/ 8/9	2/3/4/5 /6/7/8/ 9	2/3/5/6 /7/8/9	1/2/3/4/ 5/6/7/8	1/2/3/4/ 5/6/7/8/ 9	2/3/4/5 /6/7/8/ 9	2/3/5/6 /7/8/9	1/2/3/4 /5/6/7/ 8	1/2/3/4 /5/6/7/ 8/9	2/3/4/5 /6/7/8/ 9
Comply With and Use Procedures (1)	1/2/3/ 4/5/6/ 7/8/9	1/2/5 6/7/8	1/3/4/ 5/6/7/ 8/9	2/3/4/5 /6/7/8/ 9	1/2/3/4 /5/6/7/ 8/9	1/2/3/5/ 6/7/8	1/3/4/5/ 6/7/8/9	2/3/4/5 /6/7/8/ 9	1/2/3/4 /5/6/7/ 8/9	1/2/3/5 /6/7/8	1/3/4/5 /6/7/8/ 9	2/3/4/5 /6/7/8/ 9
Operate Control Boards (2)	1/2/3/ 5/6/7/ 8/9	1/2/3/ 4/5/6/ 7/8	1/3/4/ 5/6/7/ 8/9/	2/3/4/5 /6/7/8/ 9	1/2/3/4 /5/6/7/ 8/9	1/2/3/4/ 5/6/7/8	1/3/4/5/ 6/7/8/9	2/3/4/5 /6/7/8/ 9	1/2/3/4 /5/6/7/ 8/9	1/2/3/4 /5/6/7/ 8	1/3/4/5 /6/7/8/ 9	2/3/4/5 /6/7/8/ 9
Communicate and Interact	1/2/3/ 4/5/6/ 7/8/9	1/2/3/ 4/5/6/ 7/8	1/2/3/ 4/5/6/ 7/8/9	2/3/4/5 /6/7/8/ 9	1/2/3/4 /5/6/7/ 8/9	1/2/3/4/ 5/6/7/8	1/2/3/4/ 5/6/7/8/ 9	1/2/3/4 /5/6/7/ 8/9	1/2/3/4 /5/6/7/ 8/9	1/2/3/4 /5/6/7/ 8	1/2/3/4 /5/6/7/ 8/9	1/2/3/4 /5/6/7/ 8/9
Demonstrate Supervisory Ability (3)					1/2/3/5 /6/7/8/ 9	1/2/3/4/ 5/6/7/8	1/3/4/5/ 7/8/9	2/3/4/5 /6/7/8/ 9	1/2/3/5 /6/7/8/ 9	1/2/3/4 /5/6/7/ 8	1/3/4/5 /7/8/9	2/3/4/5 /6/7/8/ 9
Comply With and Use Tech. Specs. (3)					3/6	1/2	1/2	1/5	3/6	1/2	1/2	1/5
Notes:  (1) Includes Technical Sp.	ecifica	tion co	mnlian	ce for a	ı RO							

- (1) Includes Technical Specification compliance for an RO.
- (2) Optional for an SRO-U.
- (3) Only applicable to SROs.

Check the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Facility:	Crys	stal	Rive	er U	nit	#3				Da	te o	f Ex	am:	Sej	oteml	ber, 2	009	
					R	ОК	/A (	Cate	gor	y Po	oints	3			SRC	O-Onl	y Poi	nts
Tier	Group	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G *	TOTAL	A	2	G	*	TOTAL
1.	1	3	2	4				3	3			3	18					6
Emergency & Abnormal	2	2	1	1		N/A		1	2	N.	/A	2	9					4
Plant Evolutions	Tier Totals	5	3	5				4	5			5	27					10
	1	2	3	3	3	3	2	2	3	2	2	3	28					5
2. Plant	2	2	0	1	1	1	1	1	1	0	1	1	10					3
Systems	Tier Totals	4	3	4	4	4	3	3	4	2	3	4	38					8
1	3. Generic Knowledge and				]	1	2	2		3	4	1	10	1	2	3	4	7
Abil	Abilities Categories					3	- 2	2		3	-	2	10					,

Note:

- 1. Ensure that at least two topics from every applicable K/A category are sampled within each tier of the RO and SRO-only outlines (i.e., except for one category in Tier 3 of the SRO-only outline, the "Tier Totals" in each K/A category shall not be less than two).
- 2. The point total for each group and tier in the proposed outline must match that specified in the table. The final point total for each group and tier may deviate by ± 1 from that specified in the table based on NRC revisions. The final RO exam must total 75 points and the SRO-only exam must total 25 points.
- 3. Systems/evolutions within each group are identified on the associated outline; systems or evolutions that do not apply at the facility should be deleted and justified; operationally important, site-specific systems that are not included on the outline should be added. Refer to Section D.1.b of ES-401 for guidance regarding the elimination of inappropriate K/A statements.
- Select topics from as many systems and evolutions as possible; sample every system or evolution in the group before selecting a second topic for any system or evolution.
- 5. Absent a plant-specific priority, only those K/As having an importance rating (IR) of 2.5 or higher shall be selected. Use the RO and SRO ratings for the RO and SRO-only portions, respectively.
- 6. Select SRO topics for Tiers 1 and 2 from the shaded systems and K/A categories.
- 7.\* The generic (G) K/As in Tiers 1 and 2 shall be selected from Section 2 of the K/A Catalog, but the topics must be relevant to the applicable evolution or system. Refer to section d.1.b of ES-401 for the applicable K/As.
- 8. On the following pages, enter the K/A numbers, a brief description of each topic, the topics' importance ratings (IRs) for the applicable license level, and the point totals (#) for each system and category. Enter the group and tier totals for each category in the table above; if fuel handling equipment is sampled in other than Category A2 or G\* on the SRO-only exam, enter it on the left side of Column A2 for Tier 2, Group 2. (Note #1 does not apply). Use duplicate pages for RO and SRO-only exams.
- 9. For Tier 3, select topics from Section 2 of the K/A catalog, and enter the K/A numbers, descriptions, IRs, and point totals (#) on Form ES-401-3. Limit SRO selections to K/As that are linked to 10 CFR 55.43.

ES-401 Emergency a	nd A						Outline Form lutions – Tier 1 / Group 1	ES-40	)1-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	G	K/A Topic(s)	IR	#
007 (BW/E02 & E10) Reactor Trip – Stabilization – Recovery – 1					X		007EA2.02 - Ability to determine or interpret the following as they apply to a reactor trip: Proper actions to be taken if the automatic safety functions have not taken place	4.3	1
008 Pressurizer Vapor Space Accident / 3						X	008AG2.1.23 - Ability to perform specific system and integrated plant procedures during all modes of plant operation.	4.3	1
009 Small Break LOCA / 3		X					009EK2.03 - Knowledge of the interrelations between the small break LOCA and the S/Gs.	3.0	1
011 Large Break LOCA / 3			X				011EK3.07 – Knowledge of the reasons for the following responses as they apply to the Large Break LOCA: Stopping HPI bypass flow (recirc flow OK per GL)	3.5	1
015/17 RCP Malfunctions /4	X						015/017AK1.05 – Knowledge of the operational implications of the following concepts as they apply to RCP malfunction (Loss of RC Flow): Effects of unbalanced RCS flow on in-core average temperature, core imbalance, and quadrant power tilt.	2.7	1
022 Loss of Rx Coolant Makeup / 2	X						022AK1.03 - Knowledge of the operational implications of the following concepts as they apply to Loss of Reactor Coolant Makeup: Relationship between makeup flow and PZR level	3.0	1
025 Loss of RHR System / 4					X		025AA2.01 - Ability to determine and interpret the following as they apply to the Loss of Decay Heat Removal System: Proper amperage of running LPI/decay heat removal/RHR pump(s)	2.7	1

ES-401 Emergency a	and A						Outline Form lutions – Tier 1 / Group 1	ES-40	01-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	Ğ	K/A Topic(s)	IR	#
026 Loss of Component Cooling Water / 8			X				026AK3.02 - Knowledge of the reasons for the following responses as they apply to the Loss of Nuclear Services / Decay Heat Closed Cycle Cooling: The automatic actions (alignments) within the SWS / DCS resulting from the actuation of the ESFAS	3.6	1
027 PZR Pressure Control System Malfunction / 3			X				027AK3.04 - Knowledge of the reasons for the following responses as they apply to the PZR Pressure Control Malfunctions: Why, if PZR level is lost and then restored, that pressure recovers much more slowly.	2.8	1
029 ATWS / 1				X			029EA1.12 - Ability to operate and monitor the following as they apply to an ATWS: Reactor trip breakers	4.1	1
038 Steam Generator Tube Rupture / 3						X	038EG2.1.28 - Knowledge of the purpose and function of major system components and controls.	4.1	1
040 (BW/E05) Steam Line Rupture – Excessive Heat Transfer / 4									
054 Loss of Main Feedwater / 4				X			054AA1.01 - Ability to operate and / or monitor the following as they apply to the Loss of Main Feedwater (MFW): EFW controls, including the use of alternate EFW sources	4.5	1
055 Station Blackout / 6			X				055EK3.02 - Knowledge of the reasons for the following responses as they apply to the Station Blackout: Actions contained in EOP for loss of offsite and onsite power.	4.3	1
056 Loss of Offsite Power / 6				X			056AA1.05 - Ability to operate and / or monitor the following as they apply to the Loss of Offsite Power: Initiation (manual) of safety injection process	3.8	1

ES-401 Emergency a	nd A						Outline Form lutions – Tier 1 / Group 1	ES-40	01-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	Ğ	K/A Topic(s)	IR	#
057 Loss of Vital AC Instrument Bus / 6									
058 Loss of DC Power / 6	X						058AK1.01 - Knowledge of the operational implications of the following concepts as they apply to Loss of DC Power: Battery charger equipment and instrumentation	2.8	1
062 Loss of Nuclear Services Water / 4									
065 Loss of Instrument Air /						X	065AG2.4.8 - Knowledge of how abnormal operating procedures are used in conjunction with EOPs.	3.8	1
BW/E04 Inadequate Heat Transfer – Loss of Secondary Heat Sink / 4					X		BW/E04EA2.1 - Ability to determine and interpret the following as they apply to the (Inadequate Heat Transfer): Facility conditions and selection of appropriate procedures during abnormal and emergency operations.	3.2	1
077 Generator Voltage and Electric Grid Disturbances / 6		X					077AK2.03 – Knowledge of the interrelations between Generator Voltage and Electric Grid disturbances and the following: Sensors, detectors, indicators.	3.0	1
K/A Category Totals	3	2	4	3	3	3	Group Point Total		18/6

ES-401 Emergency a	nd A						Outline Form lutions – Tier 1 / Group 2	ES-4(	)1-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	$\mathbf{G}$	K/A Topic(s)	IR	#
001 Continuous Rod Withdrawal / 1					X		001AA2.05 - Ability to determine and interpret the following as they apply to the Continuous Rod Withdrawal: Uncontrolled rod withdrawal from available indications	4.4	1
003 Dropped Control Rod / 1	X						003AK1.10 - Knowledge of the operational implications of the following concepts as they apply to Dropped Control Rod: Definitions of core quadrant power tilt	2.6	1
005 Inoperable/Stuck Rod / 1	,		X		2 - 3 M		005AK3.05 - Knowledge of the reasons for the following responses as they apply to the Inoperable / Stuck Control Rod: Power limits on rod misalignment	3.4	1
024 Emergency Boration / 1									
028 PZR Level Malfunction / 2							,		
032 Loss of Source Range NI / 7									
033 Loss of Intermediate Range NI / 7									
036 (BW/A08) Fuel Handling Accident / 8									
037 Steam Generator Tube Leak / 3									
051 Loss of Condenser Vacuum / 4									
059 Accidental Liquid RadWaste Rel. / 9					4-15.				

ES-401 Emergency a	ınd A						Outline Form lutions – Tier 1 / Group 2	ES-4(	)1-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	$\mathbf{G}$	K/A Topic(s)	IR	#
060 Accidental Gaseous Radwaste Rel. / 9									
061 ARM System Alarms / 7						X	061AG2.2.12 - Knowledge of surveillance procedures.	3.7	1
067 Plant Fire On-site / 8									
068 (BW/A06) Control Room Evac. / 8	X						BW/A06AK1.3 - Knowledge of the operational implications of the following concepts as they apply to the (Shutdown Outside Control Room): Annunciators and conditions indicating signals, and remedial actions associated with the (Shutdown Outside Control Room).	3.4	1
069 Loss of CTMT Integrity / 5						Agent S			
074 Inad. Core Cooling / 4					X		074EA2.03 - Ability to determine or interpret the following as they apply to a Inadequate Core Cooling: Availability of turbine bypass valves for cooldown	3.8	1
076 High Reactor Coolant Activity / 9					# # # # # # # # # # # # # # # # # # #				- *
BW/A01 Plant Runback / 1									
BW/A02&A03 Loss of NNI- X/Y / 7						X	BW/A02AG2.2.12 - Knowledge of surveillance procedures. (Loss of NNI-X while performing an SP OK per GL)	3.7	1
BW/A04 Turbine Trip / 4									
BW/A05 Emergency Diesel Actuation / 6									

ES-401 Emergency a	and A						Outline Form lutions – Tier 1 / Group 2	ES-4	01-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	G	K/A Topic(s)	IR	#
BW/A07 Flooding / 8		X					BW/A07AK2.1 - Knowledge of the interrelations between the (Flooding) and the following: Components, and functions of control and safety systems, including instrumentation, signals, interlocks, failure modes, and automatic and manual features.	3.7	1
BW/E03 Inadequate Subcooling Margin / 4									
BW/E08 LOCA Cooldown - Depress. / 4				X			BW/E08EA1.1 - Ability to operate and / or monitor the following as they apply to the (LOCA Cooldown): Components, and functions of control and safety systems, including instrumentation, signals, interlocks, failure modes, and automatic and manual features.	4.0	1
BW/E09 Natural Circ. / 4									
BW/E13&E14 EOP Rules and Enclosures									
K/A Category Totals	2	1	1	1	2	2	Group Point Total		9/4

ES-401												tline Form E Group 1	S-401	-2
System # / Name	K 1	K 2	K 3	K 4	K 5	<b>K</b> 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
003 Reactor Coolant Pump / 4						X						003K6.14 - Knowledge of the effect of a loss or malfunction on the following will have on the RCPs: Starting Requirements	2.6	1
004 Chemical and Volume Control / 1 & 2		X						# 1 m				004K2.06 - Knowledge of bus power supplies to the CVCS control instrumentation.	2.6	1
		X										005K2.01 - Knowledge of bus power supplies to the DH pumps.	3.0	1
05 Residual Heat emoval / 4						X						005K6.03 - Knowledge of the effect of a loss or malfunction on the following will have on the Decay Heat System: DH heat exchanger	2.5	1
					X							006K5.04 – Knowledge of the operational implications of the following concepts as they apply to ECCS: Brittle fracture, including causes and preventative actions	2.9	1
006 Emergency Core Cooling / 2 & 3								X				006A2.10 - Ability to (a) predict the impacts of a low boron concentration in the ECCS; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of this malfunction.	3.4	1
007 PZR Relief/Quench Tank / 5										X		007A4.09 - Ability to manually operate and/or monitor in the control room: relationships between PZR level and changing levels of the PRT and bleed holdup tank	2.5	1
008 Component Cooling Water / 8				X								008K4.02 - Knowledge of SWS / DCS design feature(s) and/or interlock(s) which provide for operation of the surge tank, including the associated valves and controls.	2.9	1

ES-401												tline Form E Group 1	S-401	-2
System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
008 Component Cooling Water / 8							X					008A1.03 - Ability to predict and/or monitor changes in parameters (to prevent exceeding design limits) associated with operating the SWS / DCS controls including: CCW pressure.	2.7	1
010 Pressurizer Pressure Control / 3					X							010K5.01 - Knowledge of the operational implications of the following concepts as the apply to the PZR PCS: Determination of condition of fluid in PZR, using steam tables	3.5	1
											X	012G2.4.6 – Knowledge of EOP mitigation strategies.	3.7	1
012 Reactor Protection / 7					X							012K5.01 - Knowledge of the operational implications of the following concepts as they apply to the RPS: DNB	3.3	1
013 Engineered Safety Features Actuation / 2		X										013K2.01 - Knowledge of bus power supplies to the ESFAS / safeguards equipment control.	3.6	1
022 Containment Cooling / 5				X								022K4.01 - Knowledge of CCS design feature(s) and/or interlock(s) which provide for the following: Cooling of reactor building penetrations.	2.5	1
026 Containment Spray / 5							X					026A1.01 - Ability to predict and/or monitor changes in parameters (to prevent exceeding design limits) associated with operating the BSS controls including: Reactor Building pressure	3.9	1
039 Main and Reheat Steam / 4			X									039K3.05 - Knowledge of the effect that a loss or malfunction of the MRSS will have on the following: RCS	3.6	1

ES-401												tline Form E Group 1	S-401	-2
System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	Ğ	K/A Topic(s)	IR	#
									X			059A3.04 - Ability to monitor automatic operation of the MFW, including: Turbine driven feed pump	2.5	1
059 Main Feedwater / 4			X									059K3.02 - Knowledge of the effect that a loss or malfunction of the MFW will have on the following: EFW system	3.6	1
061 Auxiliary / Emergency Feedwater / 4			X									061K3.02 - Knowledge of the effect that a loss or malfunction of the EFW will have on the following: S/G	4.2	.1
062 AC Electrical Distribution / 6								X	-			062A2.16 - Ability to (a) predict the impacts of the following malfunctions or operations on the AC distribution system; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those malfunctions or operations:  Degraded system voltages	2.5	1
063 DC Electrical Distribution / 6									X			063A3.01 - Ability to monitor automatic operation of the dc electrical system, including: Meters, annunciators, dials, recorders, and indicating lights	2.7	1
								2000 NO.			$\mathbf{x}$	064G2.4.45 - Ability to prioritize and interpret the significance of each annunciator or alarm.	4.1	1
64 Emergency Diesel enerator / 6				X							**************************************	064K4.01 - Knowledge of ED/G system design feature(s) and/or interlock(s) which provide for the following: Trips while loading the ED/G (frequency, voltage, speed)	3.8	1
073 Process Radiation Monitoring / 7										X		073A4.03 - Ability to manually operate and/or monitor in the control room: Check source for operability demonstration	3.1	1

ES-401												tline Form ES-4 Group 1	)1-	2
System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	2	#
076 Service Water / 4											Х	076G2.4.8 - Knowledge of how abnormal operating procedures are used in conjunction with EOPs.	8	1
078 Instrument Air / 8	X											078K1.04 - Knowledge of the physical connections and/or cause-effect relationships between the IAS and the following systems: Cooling water to compressor	6	1
103 Containment / 5								X				103A2.03 - Ability to (a) predict the impacts of the following malfunctions or operations on the reactor building system and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those malfunctions or operations: Phase A and B isolation	5	1
	X											103K1.01 - Knowledge of the physical connections and/or cause-effect relationships between the reactor building system and the following systems: CCS	6	1
								6.00 (1.00 (1.00 (1.00)			or of Saparer			
K/A Category Totals	2	3	3	3	3	2	2	3	2	2	3	Group Point Total		28/5

ES-401	Plant Systems – Tier 2 / Group 2													
System # / Name	K 1	K 2	K 3	K 4	1 :	K 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
001 Control Rod Drive / 1								X				001A2.12 - Ability to (a) predict the impacts of the following malfunctions or operations on the CRDS; and (b) based on those predictions, use procedures to correct, control or mitigate the consequences of those malfunctions or operations: Erroneous ECP calculation	3.6	1
002 Reactor Coolant / 2 & 4														
011 Pressurizer Level Control / 2														
014 Rod Position Indication / 1											7.7			
015 Nuclear Instrumentation / 7			X									015K3.01 - Knowledge of the effect that a loss or malfunction of the NIS will have on the following: RPS	3.9	1
016 Non-nuclear Instrumentation / 7										X		016A4.02 - Ability to manually operate and/or monitor in the control room: Recorders	2.7	1
017 In-core Temperature Monitor / 7					X						Manager Services	017K5.02 - Knowledge of the operational implications of the following concepts as they apply to the ITM system: Saturation and subcooling of water	3.7	1
027 Containment Iodine Removal / 5	X										E SAME TRANSPER	027K1.01 - Knowledge of the physical connections and/or cause-effect relationships between the CIRS and the following systems: CSS	3.4	1
028 Hydrogen Recombiner and Purge Control / 5														
029 Containment Purge /														

ES-401 PWR Examination Outline Form ES-401-2 Plant Systems – Tier 2 / Group 2														
System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
033 Spent Fuel Pool Cooling / 8							X					033A1.01 - Ability to predict and/or monitor changes in parameters (to prevent exceeding design limits) associated with operating Spent Fuel Pool Cooling System controls including: Spent fuel pool water level.	2.7	1
034 Fuel Handling Equipment / 8								7112			X	034G2.2.40 – Ability to apply Technical Specifications for a system.	3.4	1
035 Steam Generator / 4											-3 -3			
041 Steam Dump/Turbine Bypass Control / 4						X						041K6.03 - Knowledge of the effect of a loss or malfunction on the following will have on the Turbine Bypass Valves: Controller and positioners, including ICS, S/G, CRDS	2.7	1
045 Main Turbine Generator / 4														
055 Condenser Air Removal / 4														
056 Condensate / 4	X											056K1.03 - Knowledge of the physical connections and/or cause-effect relationships between the Condensate System and the following systems: MFW	2.6	1
068 Liquid Radwaste / 9				X								068K4.01 - Knowledge of design feature(s) and/or interlock(s) which provide for the following: Safety and environmental precautions for handling hot, acidic, and radioactive liquids	3.4	1
071 Waste Gas Disposal / 9														
072 Area Radiation Monitoring / 7														
075 Circulating Water /														

ES-401											-	tline Fo Group 2	orm ES-401	-2
System # / Name	K 1	K 2	1	1	K 5	1	1	A 2		A 4	G	K/A Topic(s)	IR	#
079 Station Air / 8								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-	19.7 18.7 14.4			
086 Fire Protection / 8														
K/A Category Totals	2	0	1	1	1	1	1	1	0	1	1	Group Point Total		10/3

## RO

Tier/ Group	Randomly Selected K/A	Reason for Rejection
1/1	011EK3.04	Not applicable to CR3. Containment fan coolers have no dampers. Chief Examiner randomly selected new KA #011EK3.07.
1/1	022AK1.02	Not possible to prepare a psychometrically sound question related to this KA. High delta P, more flow. Low delta P, less flow. Chief Examiner randomly selected new KA#022AK1.03.
1/1	055EK2.04	No IR value assigned in NUREG-1122. Chief Examiner randomly selected new KA #055EK3.02.
1/2	001AA2.02	Not possible to prepare a psychometrically sound question related to this KA. Chief Examiner randomly selected new KA #001AA2.05.
2/1	006K5.01	Not applicable to CR3. Our ECCS system has no water level input for automatic operation and no manual operator actions based on water level. Chief Examiner randomly selected new KA #006K5.04.
2/1	103A2.05	Not possible to prepare a psychometrically sound question related to this KA. Chief Examiner randomly selected new KA #103A2.03.
Generic	2.1.35	IR value only 2.2 for ROs. Chief Examiner randomly selected new KA #G2.1.36.
1/1	007EA2.05	Not applicable to CR3. CR3 does not have "first-out" alarm indications for a reactor trip. Chief Examiner randomly selected new KA #007EA2.02.
1/1	056AA1.28	Not applicable to CR3. CR3 does not have SW/RW flow control valves. Chief Examiner randomly selected new KA #056AA1.05.
2/2	028A2.03	At CR3 actions for this KA are SRO only level knowledge. Chief Examiner randomly selected new KA #028A2.02.
2/2	028A2.02	Not possible to prepare a psychometrically sound question related to this KA. Chief Examiner randomly selected new KA #001A2.12.

### SRO - PWR Examination Outline - (Sept, 2009) Form ES-401-2

Facility:	Crys	stal ]	Rive	er U	nit 7	#3				Da	te of	f Ex	am:	Se	pteml	ber, 2	.009	
					R	ЭК	/A (	Cate	gor	y Po	oints	;			SRC	)-Onl	ly Poi	ints
Tier	Group	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G *	TOTAL	Α	.2	G	}*	TOTAL
1.	1												18	3	3	3	3	6
Emergency & Abnormal	2					N/A				N	/A		9	2	2	2	2	4
Plant Evolutions	Tier Totals												27	5	5	5	5	10
	1												28	3	3	2	2	5
2. Plant	2												10		2		1	3
Systems	Tier Totals												38	5	5	3	3	8
55	3. Generic Knowledge and					1	2	2		3	4	1	10	1	2	3	4	7
Abil	Abilities Categories													2	2	1	2	

Note:

- 1. Ensure that at least two topics from every applicable K/A category are sampled within each tier of the RO and SRO-only outlines (i.e., except for one category in Tier 3 of the SRO-only outline, the "Tier Totals" in each K/A category shall not be less than two).
- 2. The point total for each group and tier in the proposed outline must match that specified in the table. The final point total for each group and tier may deviate by ± 1 from that specified in the table based on NRC revisions. The final RO exam must total 75 points and the SRO-only exam must total 25 points.
- 3. Systems/evolutions within each group are identified on the associated outline; systems or evolutions that do not apply at the facility should be deleted and justified; operationally important, site-specific systems that are not included on the outline should be added. Refer to Section D.1.b of ES-401 for guidance regarding the elimination of inappropriate K/A statements.
- 4. Select topics from as many systems and evolutions as possible; sample every system or evolution in the group before selecting a second topic for any system or evolution.
- 5. Absent a plant-specific priority, only those K/As having an importance rating (IR) of 2.5 or higher shall be selected. Use the RO and SRO ratings for the RO and SRO-only portions, respectively.
- 6. Select SRO topics for Tiers 1 and 2 from the shaded systems and K/A categories.
- 7.\* The generic (G) K/As in Tiers 1 and 2 shall be selected from Section 2 of the K/A Catalog, but the topics must be relevant to the applicable evolution or system. Refer to section d.1.b of ES-401 for the applicable K/As.
- 8. On the following pages, enter the K/A numbers, a brief description of each topic, the topics' importance ratings (IRs) for the applicable license level, and the point totals (#) for each system and category. Enter the group and tier totals for each category in the table above; if fuel handling equipment is sampled in other than Category A2 or G\* on the SRO-only exam, enter it on the left side of Column A2 for Tier 2, Group 2. (Note #1 does not apply). Use duplicate pages for RO and SRO-only exams.
- 9. For Tier 3, select topics from Section 2 of the K/A catalog, and enter the K/A numbers, descriptions, IRs, and point totals (#) on Form ES-401-3. Limit SRO selections to K/As that are linked to 10 CFR 55.43.

ES-401 Emergency a	nd A						Outline Form lutions – Tier 1 / Group 1	ES-40	)1-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	G	K/A Topic(s)	IR	#
007 (BW/E02 & E10) Reactor Trip – Stabilization – Recovery - 1									
008 Pressurizer Vapor Space Accident / 3									
009 Small Break LOCA / 3									
011 Large Break LOCA / 3					± 1.				
015/17 RCP Malfunctions /4									-
022 Loss of Rx Coolant Makeup / 2					X		022AA2.01 - Ability to determine and interpret the following as they apply to the Loss of Reactor Coolant Pump Makeup: Whether makeup line leak exists	3.8	1
025 Loss of RHR System / 4									
026 Loss of Component Cooling Water / 8									
027 PZR Pressure Control System Malfunction / 3						X	027AG2.4.9 - Knowledge of low power / shutdown implications in accident (e.g. LOCA or loss of DH) mitigation strategies.	4.2	1
029 ATWS / 1									
038 Steam Generator Tube Rupture / 3									
040 (BW/E05) Steam Line Rupture – Excessive Heat Transfer / 4						# () T > () # () ()			
054 Loss of Main Feedwater / 4									
055 Station Blackout / 6									

ES-401 Emergency a	nd A						Outline Form lutions – Tier 1 / Group 1	ES-4	01-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	G	K/A Topic(s)	IR	#
056 Loss of Offsite Power /						X	056AG2.4.45 - Ability to prioritize and interpret the significance of each annunciator or alarm.	4.3	1
057 Loss of Vital AC Instrument Bus / 6					X		057AA2.05 - Ability to determine and interpret the following as they apply to the Loss of Vital AC Instrument Bus: S/G pressure and level meters	3.8	1
058 Loss of DC Power / 6					X	7 7.7	058AA2.03 - DC loads lost; impact on ability to operate and monitor plant systems.	3.5	1
062 Loss of Nuclear Services Water / 4						200			
065 Loss of Instrument Air /						1			
BW/E04 Inadequate Heat Transfer – Loss of Secondary Heat Sink / 4									
077 Generator Voltage and Electric Grid Disturbances / 6						X	077AG2.2.12 - Knowledge of surveillance procedures.	4.1	1
K/A Category Totals					3	3	Group Point Total		18/6

ES-401 Emergency a	nd A						Outline Form utions – Tier 1 / Group 2	ES-40	01-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	G	K/A Topic(s)	IR	#
001 Continuous Rod Withdrawal / 1									<del> </del>
003 Dropped Control Rod / 1									
005 Inoperable/Stuck Rod / 1						TANK TANK			
024 Emergency Boration / 1									
028 PZR Level Malfunction / 2									
032 Loss of Source Range NI / 7									
033 Loss of Intermediate Range NI / 7					Take 1				
036 (BW/A08) Fuel Handling Accident / 8									
037 Steam Generator Tube Leak / 3									
051 Loss of Condenser Vacuum / 4						T. V.			
059 Accidental Liquid RadWaste Rel. / 9									
060 Accidental Gaseous Radwaste Rel. / 9									
061 ARM System Alarms / 7					X		061AA2.06 - Ability to determine and interpret the following as they apply to the Area Radiation Monitoring (ARM) System Alarms: Required actions if alarm channel is out of service	4.1	1
067 Plant Fire On-site / 8									

ES-401 Emergency a	nd A						Outline Form lutions – Tier 1 / Group 2	ES-40	)1-2
E/APE # / Name / Safety Function	K 1	K 2	K 3	A 1	A 2	G	K/A Topic(s)	IR	#
068 (BW/A06) Control Room Evac. / 8									
069 Loss of CTMT Integrity / 5						X	069AG2.2.38 – Knowledge of conditions and limitations in the facility license.	4.5	1
074 Inad. Core Cooling / 4									
076 High Reactor Coolant Activity / 9									
BW/A01 Plant Runback / 1									
BW/A02&A03 Loss of NNI- X/Y / 7						X	BW/A03AG2.4.6 - Knowledge of EOP mitigation strategies.	4.7	1
BW/A04 Turbine Trip / 4									
BW/A05 Emergency Diesel Actuation / 6									
BW/A07 Flooding / 8									
BW/E03 Inadequate Subcooling Margin / 4									
BW/E08 LOCA Cooldown - Depress. / 4									
BW/E09 Natural Circ. / 4					X		BW/E09EA2.2 - Ability to determine and interpret the following as they apply to the (Natural Circulation Cooldown): Adherence to appropriate procedures and operation within the limitations in the facility's license and amendments.	4.0	1
K/A Category Totals					2	2	Group Point Total	1	9/4

ES-401												itline Form Es Group 1	S-401-	-2
System # / Name	K 1	K 2	K 3	K 4	i	<b>K</b>	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
003 Reactor Coolant Pump / 4														
004 Chemical and Volume Control / 1 & 2														
005 Residual Heat Removal / 4								X				005A2.01 - Ability to (a) predict the impacts of the following malfunctions or operations on the Decay Heat System, and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those malfunctions or operations: Failure modes for pressure, flow, pump motor amps, motor temperature, and tank level instrumentation	2.9	1
006 Emergency Core Cooling / 2 & 3														
007 PZR Relief/Quench Tank / 5														
008 Component Cooling Water / 8														
008 Component Cooling Water / 8														
010 Pressurizer Pressure Control / 3														
012 Reactor Protection / 7											X	012G2.2.12 – Knowledge of surveillance procedures.	4.1	1
013 Engineered Safety Features Actuation / 2														

ES-401												tline Form E Group 1	S-401-	.2
System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
022 Containment Cooling / 5														
026 Containment Spray /														
039 Main and Reheat Steam / 4											X	039G2.4.20 – Knowledge of the operational implications of EOP warnings, cautions, and notes.	4.3	1
059 Main Feedwater / 4														
061 Auxiliary / Emergency Feedwater / 4														
062 AC Electrical Distribution / 6								X				062A2.01 - Ability to (a) predict the impacts of the following malfunctions or operations on the AC distribution system; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those malfunctions or operations: Types of loads that, if de-energized, would degrade or hinder plant operation	3.9	1
063 DC Electrical Distribution / 6														
064 Emergency Diesel Generator / 6														
073 Process Radiation Monitoring / 7														

ES-401											tline Form ES Group 1	5-401·	-2
System # / Name	K 1	K 2	K 3	K 4	K 5	1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
076 Service Water / 4							X				076A2.01 - Ability to (a) predict the impacts of the following malfunctions or operations on the RWS; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those malfunctions or operations: Loss of RWS	3.7	1
078 Instrument Air / 8													
103 Containment / 5													
K/A Category Totals							3			2	Group Point Total		28/5

ES-401				-					-			tline Form E Group 2	S-401	-2
System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1		A 3	A 4	G	K/A Topic(s)	IR	#
001 Control Rod Drive /														
002 Reactor Coolant / 2 & 4								X				002A2.02 - Ability to (a) predict the impacts of the following malfunctions or operations on the RCS; and (b) based on those predictions, use procedures to correct, control or mitigate the consequences of those malfunctions or operations: Loss of coolant pressure	4.4	1
011 Pressurizer Level Control / 2														
014 Rod Position Indication / 1											X	014G2.1.27 - Knowledge of system purpose and / or function.	4.0	1
015 Nuclear Instrumentation / 7														
016 Non-nuclear Instrumentation / 7														
017 In-core Temperature Monitor / 7														
027 Containment Iodine Removal / 5														
028 Hydrogen Recombiner and Purge Control / 5														
029 Containment Purge /														
033 Spent Fuel Pool Cooling / 8														

												S-401·	-2
K 1	K 2	K 3	ţ	i	K 6	A 1	A 2	A 3	A 4	G	K/A Topic(s)	IR	#
							X				034A2.01 - Ability to (a) predict the impacts of the following malfunctions or operations on the Fuel Handling System; and (b) based on those predictions, use procedures to correct, control or mitigate the consequences of those malfunctions or operations: Dropped fuel element	4.4	1
										2. Open den			
		<u> </u>	<u> </u>			1			<u> </u>		C - D ' AT 4-1		10/:
	1	1 1	K K K	Pla	Plant S	Plant Sys	Plant System		Name	Name	R	Right Systems — Tier 2 / Group 2    K   K   K   K   K   K   K   A   A   A	R

# SRO

Tier/ Group	Randomly Selected K/A	Reason for Rejection
1/2	061AA2.02	Not possible to prepare a psychometrically sound question related to this KA. Chief Examiner randomly selected new KA #061AA2.06.
2/1	062A2.14	Not possible to prepare a psychometrically sound question related to this KA. Chief Examiner randomly selected new KA #062A2.01.
2/2	027A2.01	Not applicable to CR3. Containment iodine removal is accomplished via the RB Spray system. There are NO filters associated with this system. Chief Examiner randomly selected new KA #034A2.01.
2/2	028A2.01	Not applicable to CR3. No hydrogen recombiner or hydrogen recombining equipment at CR3. Chief Examiner randomly selected new KA #002A2.02.
1/1	065AA2.04	Not possible to write an SRO level question for this KA. Chief Examiner randomly selected new KA #058AA2.03.

		<del></del>					₹0 -	
							Initial	
		Item Description	<del></del>			а	b*	\$
1.	Questions and answers	are technically accurate and app	licable to the fa	acility.		AK	FL	A
2.		re referenced for all questions. ing objectives are referenced as	available.			AK	FL	A
3.	SRO questions are appr	opriate in accordance with Section	on D.2.d of ES-	401		AK	FL	4
4.		as random and systematic (If mo ast 2 NRC licensing exams, cons				AK	FL	A
5.	as indicated below (chec the audit exam was the audit exam was the examinations w	in the license screening/audit exacts the item that applies) and apper systematically and randomly devompleted before the license exere developed independently; or s that there is no duplication; or	ears appropriat veloped; or	te:		AK	FL	A CONTRACTOR OF THE CONTRACTOR
6.	Bank use meets limits (r	o more than 75 percent	Bank	Modified	New			JA.
		0 percent new, and the rest he actual RO / SRO-only t right.	37 / 8	0/0	38 /17	AK	FL	NO.
7.		ent of the questions on the RO	Memory		C/A			He
	the SRO exam may exc selected K/As support th	comprehension/ analysis level; eed 60 percent if the randomly e higher cognitive levels; enter estion distribution(s) at right.	35 /	5 40	/ 20	AK	FL	100
8.	References/handouts pr or aid in the elimination	ovided do not give away answers of distractors.	6			AK	FL	*
9.		ms with specific K/A statements i is appropriate for the tier to whic				AK	FL	
10.	Question psychometric	quality and format meet the guide	elines in ES Ap	pendix B.		AK	FL	1
11.		equired number of one-point, mu grees with the value on the cove	•	ems;		AK	FL	N/
		Printed Name / Signature	1				Date	
a. Autho	r <u>Ala</u>	in Kennedy Lan 1	Seunelly	<u> </u>		Ī	09/08/0	<u>)9</u>
b. Facilit	y Reviewer (*) Flo	yd Lawrence Alexander	west			) (	09/08/0	<u>)9</u>
c. NRC (	Chief Examiner (#)	EARD W. LASKA / GEROUS	Water,			0	19/17/2	'WG
d. NRC F	Regional Supervisor	MCOUNT. WIDILLIN	Mary 1	w		09	1/17/0	9

0"	1.	2.			hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5. (	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	l l	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation

### Instructions

[Refer to Section D of ES-401 and Appendix B for additional information regarding each of the following concepts.]

Enter the level of knowledge (LOK) of each question as either (F)undamental or (H)igher cognitive level.

Enter the level of difficulty (LOD) of each question using a 1 – 5 (easy – difficult) rating scale (questions in the 2 – 4 range are acceptable).

Check the appropriate box if a psychometric flaw is identified:

- The stem lacks sufficient focus to elicit the correct answer (e.g., unclear intent, more information is needed, or too much needless information).
- The stem or distractors contain cues (i.e., clues, specific determiners, phrasing, length, etc).
- The answer choices are a collection of unrelated true/false statements.
- The distractors are not credible; single implausible distractors should be repaired, more than one is unacceptable.
- One or more distractors is (are) partially correct (e.g., if the applicant can make unstated assumptions that are not contradicted by stem).
- 4. Check the appropriate box if a job content error is identified:
  - The question is not linked to the job requirements (i.e., the question has a valid K/A but, as written, is not operational in content).
  - The question requires the recall of knowledge that is too specific for the closed reference test mode (i.e., it is not required to be known from memory).
  - The question contains data with an unrealistic level of accuracy or inconsistent units (e.g., panel meter in percent with question in gallons).
  - The question requires reverse logic or application compared to the job requirements.
- 5. <u>Check questions that are sampled</u> for conformance with the approved K/A and those that are *designated SRO-only* (K/A and license level mismatches are unacceptable).
- 6. Based on the reviewer's judgment, is the question as written (U)nsatisfactory (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?
- 7. At a minimum, explain any "U" ratings (e.g., how the Appendix B psychometric attributes are not being met).

0,"	1.	2.		3. Psy	chometr	ic Flaws	S	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus		T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q≔ K/A	SRO Only	U/E/ S	Explanation
01/76	Н	2				X	X					×	В	U	002A2.02 May not meet K/A. (Question meets the second portion, but can be written to meet both) What is the impact on the RCS of lowering RCS Pressure? You are testing the impact of a component that will affect RCS Pressure. Borderline SRO. Distractor C may also be considered correct as written. Nothing in the stem makes a failed number 1 seal on 1B plausible.  NEW Understand Issues will continue to work.  8/5/2009  CR3 – Replaced question.
02/77	Н	2											X		O05A2.01 Appears to meet K/A. Not SRO on This question can be answered using system knowledge, and procedure entry requirements. The only item in this question that would indicate upcoming pump damage is pump cavitation.  NEW Continue to work  CR3 – Replaced question.

	1.	2.	,	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fl	aws	5. (	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
03/78	F	2											X		O12G2.2.12 Question appears to match K/A. Question may not be SRO only. This appears to be a precaution/limitation in the surveillance procedure. Who performs the procedure? If this procedure is performed by an RO then this is RO knowledge. Will discuss.  NEW Procedure not performed by RO Sat CR3 – No change.
4/79	Ι	2	X											S	O14G2.1.27 Question kind of matches K/A. Appears to be SRO only. Why do you state in the distractors "for SDM purposes," the basis document discusses control rod operability as a function of being able to insert into the core. By this definition the rod is operable IAW TS 3.1.4. Some enhancements in the structure of the question are needed.  MOD 2006 Oconee NRC Exam (need to see the original question or this will be treated as a bank question)  Made several changes to stem and all distractors. SAT 8/5/2009.  CR3 – Modified as discussed.

	1.	2.		3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q⊨ K/A	SRO Only	U/E/ S	Explanation
5/80	Н	2	X				X								O22AA2.01 Question appears to match K/A. What in the conditions of the stem allows the operator to determine that a small PZR steam space leak is not occurring? What is incorrect about going through the first steps of AP 520?  NEW Changes to stem (event/ appropriate path) SAT 8/5/2009  CR3- Modified as discussed.
6/81	Н	2	X			X							X	S	O27AGG2.4.9 Kind of matches K/A. As written, not SRO only. Distractors A and C are not plausible (535 degrees is not even close to PTS concerns). Ask what action is required, not what action you would direct the RO to take. If A and C are not plausible, then the question can be answered using systems knowledge, therefore not SRO only. Made changes to stem to make a and C more plausible. SRO only.  NEW  SAT 8/6/2009  CR3 – No change.

	1.	2.	;	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
7/82	H	2	X												034A2.01 Question appears to match K/A. Appears to be SRO only. Stem focus needs to be improved. Which ONE of the following choices "Correctly" completes the Is the lodine removal factor a common term at CR-3?  NEW Made changes to stem and distractors. SAT. 8/6/2009  CR3 – Modified as discussed.
8/83	H	2												s	039G2.4.20 Question appears to match the K/A. Appears to be SRO only.  NEW  CR3 – No change.
9/84	Η	2										,		S	056AG2.4.45 Question appears to match the K/A. Appears to be SRO Only.  NEW  CR3 – No change.

0.11	1.	2.	ţ	3. Psy	chometr	ric Flaws	<del></del>	4.	Job Cont	tent Fla	aws	5.	Other	6.	7.	
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation	
10/85	H	3											X		057AA2.05 Question appears to match the K/A. Question does not appear to be SRO only. Although the step is in the middle of the procedure, the applicant need only know which EFW pump valves could be controlled to determine that the #1 EFW pump should be started.  NEW Changed the stem. All distractors, Moved picture. SAT. 8/6/2009  CR3 – Modified as discussed.	
11/86	F	2												S	061AA2.06 Question appears to match the K/A. Appears to be SRO only.  NEW  CR3 – No change.	
12/87	Ι	2											В		062A2.01 Question appears to match K/A. Borderline SRO will Discuss. Otherwise sat. NEW  Added EOP- 14 enclosure 7. SAT.	
														S	CR3 - Modified as discussed.	

	1.	2.	,	3. Psyc	hometr	ic Flaws	}	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
13/88	Н	2											X		065AA2.04 Question appears to match K/A. Does not appear to be SRO only. Typically when to trip the reactor on loss of Instrument air is an RO knowledge item.  NEW Gerry to select new K/A.  NEW KA – 058AA2.03  CR3 – Wrote new question.
14/89	Н	2	X												069AG2.2.38 Question appears to match K/A. Appears to be SRO only. The way the question is written, it appears that the plant is in mode 4, and it is okay to continue to heat up ( and stay in mode 4). The question should be is the plant allowed to change modes. What reference is to be provided to the applicant? Second part of question needs some work.  NEW Changed stem and distractors. SAT 8/6/2009  CR3 – Modified as discussed.

	1.	2.		3. Psyc	hometr	ic Flaws	6	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
15/90	Н	2													076A2.01 Question appears to match K/A. With an operability assessment of the UHS, the question appears to be SRO only. The operability determination needs to be more pronounced. (the UHS is operable/ inoperable).  BANK Changed stem and distractors SAT 4/06/2009  CR3 – Modified as discussed.
16/91	Н	2	X										X		O77AG2.2.12 Question kind of matches K/A. This question is based on the precautions and limitations of SPs. Who normally performs these SPs? If these are performed by an RO, then the RO is also responsible for the P and L's, and this is not an SRO level question.  What is the difference between an EGDG and an ES DG. Are we talking about the same diesel in this question?  Did not find in SP-354A the step that directs the CRS to have the operator perform SP907A enclosure 2. Not sure that there is a correct answer for the question as written.  NEW Made some changes to stem. Will have another examiner look at.  CR3 – No change yet.

0.11	1.	2.		3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
17/92	H	2					X						X		BW/A03AG2.4.6 Question appears to match K/A. Not sure this is SRO only. This appears to be a question on EOP/AOP procedure usage that may be both RO and SRO knowledge. I found no material that supports answer D as the only correct answer, in fact answer B could also be correct, if the SRO determined that he did not have an operator available to perform the ARP. Need to tighten up the question.  MOD Need a copy of the original question to verify that this is a modified question.  Made changes to stem and all distractors. SAT 8/07/2009.  CR3 – Modified as discussed.

0,1	1. LOK	2. LOD	;	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	(F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
18/93	Ι	2										X	X	U	BW/E09EA2.2 Question does not meet the K/A. The K/A asks for the Ability to determine and interpret the following as they apply to the Natural Circulation Cooldown): Adherence to appropriate procedures and operation within the limitations in the facility's license and amendments.  The question as written lists the procedure flowpath from the point of entry into the EOPs until the final procedure selection is made. No limitations are being tested.  This procedure flowpath can be determined from procedure entry requirements, therefore it is not SRO only.  Rewrite using limits for cooldown.  CR3 – Wrote new question.

	1.	2.	,	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
19/94	F	2				X								ď	G2.1.5 (Question in exam submittal has K/A as 2.1.15, but the ES 401-3 has the K/A listed as 2.1.5. Question appears to match K/A 2.1.5. Distractors A and B are essentially stating the same thing, if one is incorrect both are, and if one is correct, then both would be correct. Therefore, distractors A and B are not plausible. Replace distractors A and B.  BANK  Changed A and B distractors and moved order of distractors. SAT. 8/7/2009.  CR3 – Modified as discussed.
20/95	Н	2											В	c	G2.1.8 Question appears to match K/A. Not Sure if it is SRO only. Could the answer be determined using only systems knowledge? Will discuss.  NEW  Made changes to stem and discussed why question was SRO only. SAT 8/7/2009  CR3 – Modified as discussed.

O#	1. LOK	2.		3. Psyd	chometr	ic Flaws	S	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	(F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
21/96	H	2					X								G2.2.37 Question appears to match K/A. Appears to be SRO only based on the basis documents required. Need to ensure that all other distractors are truly incorrect.  BANK Added IAW TS SAT 8/7/2009.  CR3 – Modified as discussed.
22/97	F	2												S	G2.2.43 Question appears to match the K/A. Appears to be SRO only. As written the question is a little confusing, may want to consider changing the format.  NEW  CR3 – No change.

	1.	2.	;	3. Psyc	hometi	ric Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
23/98	F	2				X							X	U	G2.3.15 Questions appears to match K/A. Not sure it is SRO only. It appears that you are testing the purposes of the radiation monitors. This is an RO knowledge item. Distractors B and D are not plausible. Why would anyone use the fuel building radiation monitor to determine anything on a Large Break LOCA? I also appears that mechanical damage is only used for the spent fuel pool.  NEW  CR3 ~ Wrote new question.
24/99	F	2											Х		G2.4.29 Question appears to match the K/A. This question appears to be just the definition of a classification. Could be considered GET knowledge. Does not appear to be SRO knowledge.  BANK (got second opinion from an additional examiner).  Rewrite 8/7/2009  CR3 – Replaced question.

0,1	1.	2.		3. Psyc	hometr	ric Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
25/100	Н	2		×									X		G2.4.3 Question appears to match K/A. May not be SRO. Why do you give the details of EOP-03 step 3.14. This is cuing. Question is very similar to #64 on the RO Exam.  NEW Upon further review, question is SRO only. Removed teaching from the stem.  Question SAT 8/4/2009.  CR3 – Modified as discussed.

5 Sats, 12 Unsats, and 8 Enhancements

0"	1.	2.	;	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation

#### Instructions

[Refer to Section D of ES-401 and Appendix B for additional information regarding each of the following concepts.]

Enter the level of knowledge (LOK) of each question as either (F)undamental or (H)igher cognitive level.

Enter the level of difficulty (LOD) of each question using a 1 – 5 (easy – difficult) rating scale (questions in the 2 – 4 range are acceptable).

Check the appropriate box if a psychometric flaw is identified:

- The stem lacks sufficient focus to elicit the correct answer (e.g., unclear intent, more information is needed, or too much needless information).
- The stem or distractors contain cues (i.e., clues, specific determiners, phrasing, length, etc).
- The answer choices are a collection of unrelated true/false statements.
- The distractors are not credible; single implausible distractors should be repaired, more than one is unacceptable.
- One or more distractors is (are) partially correct (e.g., if the applicant can make unstated assumptions that are not contradicted by stem).
- 4. Check the appropriate box if a job content error is identified:
  - The question is not linked to the job requirements (i.e., the question has a valid K/A but, as written, is not operational in content).
  - The question requires the recall of knowledge that is too specific for the closed reference test mode (i.e., it is not required to be known from memory).
  - The question contains data with an unrealistic level of accuracy or inconsistent units (e.g., panel meter in percent with question in gallons).
  - The question requires reverse logic or application compared to the job requirements.
- 5. <u>Check questions that are sampled</u> for conformance with the approved K/A and those that are *designated SRO-only* (K/A and license level mismatches are unacceptable).
- 6. Based on the reviewer's judgment, is the question as written (U)nsatisfactory (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?
- 7. At a minimum, explain any "U" ratings (e.g., how the Appendix B psychometric attributes are not being met).

	1.	2.	;	3. Psyc	chometri	ic Flaws	3	4.	Job Cont	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
1	Н	2				X									O01AA2.05 Question appears to match K/A. Distractors A and B may not be plausible. What procedure actions would be taken if MUV-31 was open (attempt to close MUV-31).  NEW  Explained the plausibility of distractors A and B Question is SAT 8/13/2009  CR3 – No change.
2	Н	2										X		U	003AK1.10 Question does not appear to match the K/A. The K/A is knowledge of the operational implications of the following concepts as they apply to Dropped Control Rod: Definitions of core quadrant power tilt. This question is dealing with a mis-aligned control rod.  BANK Licensee to change to dropped rod, will change power levels to match. And Verify that the correct technical Spec limit is the only correct answer. Will also run on simulator to verify indications.
			,				:								8/13/2009 CR3 – Modified question as discussed.

	1.	2.		3. Psyc	hometr	ic Flaws	3	4.	Job Cont	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q≕ K/A	SRO Only	U/E/ S	Explanation
3	F	2				X									003K6.14 Question kind of matches the K/A. Distractor B, is not plausible. Are both oil lift pumps for the B RCP always running when preparing to start the pump? Does the applicant have to make any assumptions?  BANK
														S	CR3 – Lowered RCS pressure to 1000# to make more plausible. Removed "electrically" from stem. RCP-1B is the only RCP with 2 oil pumps. If a lift oil pump were to trip on any of the other RCPs then "A" distractor would be true.
4	H	2									,	×		g	004K2.06 Question does not appear to match K/A. What CVCS instrumentation power supply is being tested?  MOD (need to see original question to ensure it is modified).  Discussed changes to valve fails closed/manual control is not available, etc. Will review revised question. 8/13/2009  CR3 – All distractors modified per discussion.

0,1	1.	2. LOD	,	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	(1-5)	Stem Focus		T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
5	Н	2													O05AK3.05 Question appears to match K/A. May want to add the word limits after DNBR and LHR. Otherwise SAT.  MOD (need to see original question to ensure it is modified).  CR3 – replaced "criteria is" with "limits are"
6	Ħ	2				х					X				005K2.01 Question kind of matches K/A, using a backwards logic. Distractor C may not be plausible. Note in EOP 12 states not to use any procedures while in EOP except for AP 880, so why would someone pick distractor C?  NEW
									·					ı	CR3 – No change. RO has to know of the existence of that NOTE in order to rule out "C" distractor.

	1.	2.		3. Psyc	hometr	ic Flaws	3	4.	Job Cont	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
7	H	2													O05K6.03 Question Kind of matches K/A. Not sure if testing 3 items is going to work (i.e. open/closed/heatup) to answer the question correctly you only have two know what two of the components will do, to narrow the correct answer down.  BANK  CR3 – No change. Closed/closed and open/open valve positions not plausible. That was my reason for needing 3 items.
8	F	2								<u></u>				S	006A2.10 Question appears to match the K/A. SAT. Need to make sure that all of the distractors are actually incorrect.
															NEW  CR3 – Deleted part of 1 <sup>st</sup> item in each distractor. Not needed. Per TS bases "C" is the only correct answer.
9	Н	2												S <b>S</b>	006K5.04 Question appears to match the K/A. SAT.  NEW  CR3- No change.

0"	1.	2. LOD		3. Psyd	hometr	ric Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
10	Н	2										X			007A4.09 Not sure if the question meets the K/A. Are the RCDT parameters higher than normal operating parameters? It appears from your distractor analysis that they are, but with pressurizer level not changing (I understand that level control is in automatic and would mask a leak of this magnitude) and all others beside the RB sump stable I need to verify that the RCDT parameters have changed from normal operating parameters.  BANK  CR3 – No Change. RCDT pressure normally maintained less than 2 psig to ensure seal leakage is not routed to the RB sump.
11	F	2				X								S	<ul> <li>007EA2.02 Question appears to match K/A. Not sure if C is plausible. Does EOP-02 ever direct the operator to open these breakers? If not this is not plausible (IAW EOP-2.0)</li> <li>MOD (need to see original question to ensure it is modified).</li> <li>CR3 – Changed number of control rods stuck out. Breakers in distractor "C" may be opened in the previous step of EOP-02.</li> </ul>

0"	1.	2. LOD		3. Psyd	chometr	ic Flaw	S	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
12	Н	2				X								S	O08A1.03 Question appears to match K/A. Distractors A and D do not appear to be plausible. If NPSH is maintained why would you enter an LCO, and if NPSH is not maintained, why would you not enter the LCO?  NEW  Changed stem to start with conditions, and then changes to conditions. Will continue to work 8/13/2009.  CR3 – Modified per discussion. The nitrogen overpressure on the tank is not an NPSH concern.
13	Н	2													008AG2.1.23 Question appears to match K/A. Sat  NEW  CR3 – Changed "could/should" in stem to "would/will".
14	М	1												<b>s</b>	008K4.02 Question appears to match K/A. Not very discriminating.  BANK  CR3 – No change.

	1.	2.	;	3. Psyc	chometr	ic Flaws	8	4.	Job Con	tent Fla	aws	5. (	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q≔ K/A	SRO Only	U/E/ S	Explanation
15	Н	1													009EK2.03 Question appears to match K/A. Not very discriminating. The cooldown rate should be closer to the limit. Otherwise sat.  BANK
															CR3 – Changed excessive/acceptable to above/below TS limit to remove subjectivity.
16	F	1										X			<b>010K5.01</b> Not sure this matches the K/A. What is the condition of fluid in PZR? We make no mention of this. Not very discriminating.
															BANK
															Continue to work question to match K/A including operational implications. (consider general operating procedure actions) 8/13/2009
															CR3 – Replaced question.
17	Н	2												S	<b>011EK3.07</b> Question appears to match K/A. SAT
'	·													S	NEW
														-	CR3 – No change.

0.11	1.	2.		3. Psyd	chometr	ric Flaws	S	4.	Job Con	tent Fl	aws	5.	Other	6.	7.	
Q#	LOK (F/H)	LOD (1-5)	Stem Focus		T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation	
18	F	1													012G2.4.6 Question kind of matches K/A. Low discriminating value. Otherwise SAT.	
														S	NEW CR3 – No change.	
19	F	2			,									S	012K5.01 Question appears to match K/A. Top part of stem is not needed. Need to ensure that b, c, and d are not correct. Otherwise SAT	٠.
															NEW	
														S	CR3 – Removed top part of stem. "B", "C" and "D" verified incorrect.	
	Н	2												s	013K2.01 Question appears to match K/A. SAT	
20															BANK	
														s	CR3 – No change.	
21	Н	2												S	015/017AK1.05 Question appears to match K/A.	
41														S	NEW	
														_	CR3 – No change.	

0"	1.	2.		3. Psyc	chometr	ic Flaws	S	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus		T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward		SRO Only	U/E/ S	Explanation
22	Ħ	2												S	015K3.01 Question appears to match K/A. Add axial to the -6% imbalance in the stem. Otherwise SAT (Why do they need a reference?  MOD (need to see original question to ensure it is modified).  CR3 – Added "axial power" to stem.  Removed reference, not needed to answer question.
23	Н	2									·				016A4.02 Question appears to match K/A. SAT  BANK  CR3 - No change.

	1.	2.		3. Psyd	chometr	ic Flaws	6	4.	Job Con	tent Fl	aws	5. (	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
24	H	2	X	X								X		U	O17K5.02 Question kind of matches K/A. Although the applicant can correctly answer the question and not match the K/A. The question has three items being tested in each distractor, 1. How many core exit thermocouples are used, 2. where does the subcooling inputs come from SPDS, and 3. if an inadequate cooling event is in progress.  An applicant need only know that SPDS is the input, and that 8 thermocouples are used and can answer this question without determining if the plant is subcooled, saturated, or superheated. Need to remove one of the items being tested to ensure that the K/A is being adequately tested.  BANK  Change to highest and average, and
															subcooled or saturated. 8/13/2009
															CR3 – Modified question as discussed.

	1.	2.		3. Psyc	hometr	ic Flaws	s	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
25	H	2		X											O22AK1.O3 Question appears to match K/A. Again the question is testing three items, and the applicant need only know two of the items to arrive at a correct answer. Need to lower the number of items being tested to two. Use remain the same/throttled as one of the choices.  NEW  Will Make changes to a 2 and 2 format.  CR3 - Modified question as discussed.
26	ш	2													022K4.01 Question appears to match K/A. SAT  NEW  CR3 - No change.
27	М	2													025AA2.01 Question appears to match K/A. SAT  MOD (need to see original question to ensure it is modified).  CR3 – No change.

	1.	2. LOD		3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5. (	Other	6.	7.
Q#	LOK (F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q≃ K/A	SRO Only	U/E/ S	Explanation
28	F	2				X								C	O26A1.01 Question appears to match the K/A. What position are the BSV-3 &4 valves in with out HPI activation? Are these valves normally open or closed. I think one of the distractors (or two) should state closed if you think that someone might miss that a manual activation should have been implemented. Will discuss.  NEW  CR3- Changed B and D distractors from "throttled" to "closed".
29	F	2				X									O26AK3.02 If this is the equivalent of the CCW system then the question meets the K/A. Reasons on Distractors C and D are not plausible. How would SW be a heat input to the RB?  NEW Rewrite to include leakage from RB via the SW system as the correct reason. Also need a clearly wrong but plausible reason for the other distractor. Also add times with RBIC and SWT level in the stem.  CR3 – Modified as discussed.

	1.	2.	,	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
30	Н	2				Х								Ε	<b>027AK3.04</b> Question appears to match the K/A. Change distractor C to read lower because all pressurizer heaters must be manually reset to energize.
															BANK
	,									-				s	CR3 – No change. Two banks of heaters will automatically reset once level rises above 40".
	F	2												s	027K1.01 Question appears to match K/A. SAT
31															NEW
														s	CR3 – No change.
32	F	2										X		5	028A2.02 Question as written meets only the first part of the K/A. There are not any procedure usage steps to control correct, or mitigate the consequences. The b part of the K/A must be met.
											·				NEW
															Not operationally valid for an RO, no actions in current procedures. Gerry to supply New K/A.
															NEW K/A Number 001A2.12
															CR3 – New question written.

Q#	1. LOK	2. LOD		3. Psyc	chometr	ic Flaws	3	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	(F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
33	M	2					X							U	029EA1.12 Question kind of matches K/A. Can reactor trip breakers be manually opened? If 3305 and 3312 did not open from the control room, would it not be prudent to go to step 2.3? I am not sure that we should test ROs on what is in the cross-step document. We should be testing them on the procedure being used. Will Discuss. What is incorrect about distractor B?  NEW Determined that the question does meet the K/A. Licensee will look at changing to remove so much of the information in the distractors to simplify the answer.  CR3 – No change yet.
34	I	2													033A1.01 Question appears to match K/A. SAT BANK CR3 – No change.
35	Н	2												Տ <b>Տ</b>	034G2.2.40 Question appears to match K/A. SAT. Reference OK. TS-3.7.15  NEW  CR3 – No change.

	1.	2.		3. Psy	chometr	ric Flaws	s	4.	Job Cont	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus		T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward		SRO Only	U/E/ S	Explanation
36	Н	2												S	038EG2.1.28 Question appears to match K/A. Isn't C always correct? Will discuss otherwise SAT.
															NEW
														S	CR3 – No change. C is correct only if ADVs are open.
07	F	1												S	039K3.05 Question appears to match K/A. Low discriminatory value. Otherwise SAT.
37														S	BANK
														3	CR3 – No change.
38	H	2													<b>041K6.03</b> Question appears to match K/A. how the failure affects Turbine control and TBV should be included. i.e. ICS will lower header pressure and the plant will trip if no actions are taken.
															MOD (need to see original question to ensure it is modified).
														s	CR3 – No change. Plant will not trip. Only controlling setpoint for turbine control will be 15 psig higher.

	1.	2.		3. Psyc	chometr	ic Flaws	6	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
39	F	2													<b>054AA1.01</b> Question appears to match K/A. SAT
						- - - -		5 -				-		S	BANK CR3 – No change.
40	F	2													<b>055EK3.02</b> Question appears to match K/A. SAT
10						٠.								S	BANK CR3 – No change.
41	Н	2										-			056AA1.05 Question appears to match the K/A. SAT
4,														_	CR3 – Deleted some fluff from stem. Not needed to answer question.
42	F	2												S	056K1.03 Question appears to match K/A. SAT
															BANK
														s	CR3 – No change.

	1.	2.	;	3. Psyc	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
43	Н	2												S	<b>058AK1.01</b> Question appears to match K/A. SAT
10														s	NEW
															CR3 – No change.
	Н	2												S	059A3.04 Question appears to match K/A. SAT
44															NEW
														s	CR3 - No change.
45	Н	2												S	<b>059K3.02</b> Question appears to match K/A. Might want to add directly cause a EFW actuation. Otherwise SAT
															NEW
										-					CR3 – Does not directly cause and EFW actuation. Valve stroking causes the booster pump to trip which in turn causes the main FW pumps to trip which then actuates EFIC.
														S	CR3 - No change.

	1.	2.		3. Psyc	hometr	ic Flaws	6	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
46	F	2													O61AG2.1.12 Question appears to match K/A. SAT Question was listed as C/A, but appears to be a memory level question.  NEW  CR3- No change in question content. Changed C/A to MEM.
47	Н	2													061K3.02 Question appears to match K/A. SAT MOD (need to see original question to ensure it is modified).  CR3 – No change.
48	Н	2										:			062A2.16 Question appears to match K/A. SAT MOD (need to see original question to ensure it is modified).  CR3 – No change.

	1.	2.		3. Psy	chometr	ic Flaws	3	4.	Job Cont	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
49	F	2													O63A3.01 Question appear to match K/A.  Distractor D may be considered a correct statement. For the light to go out batt volts must be less than 72 volts, if it is less than 72 volts, and the battery charger is till aligned then it too would be less than 72 volts, and battery charger voltage would be less than 124 volts.  Will discuss  NEW  CR3 – No change.
50	Н	2													O64G2.4.45 Question appears to match the K/A. Again the question is testing three items, and the applicant need only know two of the items to arrive at a correct answer. Need to lower the number of items being tested to two.  NEW  CR3 – Modified to test only 2 items per distractor.

	1. LOK	2. LOD		3. Psyc	hometr	ic Flaws	<u> </u>	4.	Job Con	tent Fla	aws	5. (	Other	6.	7.
Q#	(F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
51	Н	2												g	O64K4.01 Question appears to match K/A.  However, the first two distractors are electrical trips and very few electrical trips will trip the engine. If the imbalance is enough, enough torque could be generated to damage the engine, and the engine would trip then. Would this make any of these correct? Need to work on this question some to make it more clear and tight.  NEW  CR3 – Only other electrical engine trip is the 87DG – generator differential OC. Changed distractors A and B to relay actuations that will trip the breaker, but not the engine.
52	Н	2													O65AG2.4.8 Question appears to match K/A. Fire protection is only listed in one distractor along with the SBO procedure, and AP -880 with a fire in place why would I not pick this one. Need to add Fire protection to one of the other choices as well. May also want to Take EOP 12 out of some of the distractors. Will discuss.  NEW  CR3- AP-880 listed in 2 distractors. Added names of procedures to stem and removed from distractors.

	1.	2.	(	3. Psyd	hometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5. (	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q≕ K/A	SRO Only	U/E/ S	Explanation
53	F	2													068K4.01 Question appears to match the K/A. Again the question is testing three items, and the applicant need only know two of the items to arrive at a correct answer. Need to lower the number of items being tested to two. Will discuss.
														S	NEW CR3 – No change.
5.4	F	2												S	<b>073A4.03</b> Question appears to match K/A. Not very discriminating.
54														s	BANK
															CR3 – No change.
55	Н	2													<b>074EA2.03</b> Question appears to match K/A. Very little discriminating value. Reference is okay.
															BANK
														s	CR3 – No change.
	Н	2												S	076G2.4.8 Question kind of matches K/A. SAT
56															NEW
			-											s	CR3 – No change.

	1.	2.	,	3. Psyd	chometr	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
	Н	2												S	077AK2.03 Question kind of matches K/A. SAT
57															NEW
														s	CR3 – No change.
58	F	2												S	<b>078K1.04</b> Question kind of matches K/A. SAT If the high temperature is 125°F will the compressor ever get to 130°F? May want to change this number.
															BANK
														s	CR3 – Slightly modified all temperatures. Changed B distractor to CDP-1A from FWP- 2A for plausibility.
59	H	2												Ε	103A2.03 Question kind of matches K/A. What is wrong with diverse containment isolation? B could be argued as correct.
	-														NEW
														s	CR3 – No change.

	1.	2.		3. Psyc	chometr	ic Flaw	S	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
60	F	2												U	103K1.01 Question does not meet the K/A. The K/A is asking for the physical connections and/or cause effect relationships between the reactor building and the containment cooling system, not the containment spray system. Unless the only cooling for the RB is containment spray)  BANK  Develop a question on RB coolers/fans. Cause and effect. 8/13/2009  CR3 – Replaced question.
61	Н	2												S	BW/A02AG2.2.12 Question Kind of matches K/A. SAT  NEW  CR3 – No change.
62	Н	2												S	BW/A06AK1.3 Question kind of matches K/A. Is there anything wrong with using MUV-31 locally? If not you should state in the stem IAW AP-990.  BANK  CR3 – Added IAW AP-990 to stem.

	1. LOK	2. LOD	;	3. Psyc	chometr	ic Flaws	3	4.	Job Cont	ent Fla	aws	5.	Other	6.	7.
Q#	(F/H)	(1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
63	F	2										X			BW/A07AK2.1 Question may not meet K/A. Asked for another opinion. Determined that question did not meet K/A.  CR3 – Wrote new question.
64	Н	2													BW/E04EA2.1 Question appears to match K/A. Very similar to # 25 on the SRO examination.  BANK  CR3 – No change. Compared with SRO #25 on 8/13/09 and determined to be SAT.
65	F	2	X	X		X								ď	BW/E08EA1.1 Question kind of matches K/A. Some cueing in stem. Distractors B and D do not appear to be plausible. How could SW temperatures exceed design limits if the coolers were degraded / fouled?  Which ONE of the following describes the reason for ensuring only 1 ES selected RB cooling unit is running in low speed per EOP-8A  MOD (need to see original question to ensure it is modified).  CR3 – Modified stem slightly. Determined SAT with this change on 8-13-09.

	1.	2.	,	3. Psyc	chometr	ic Flaws	\$	4.	Job Con	tent Fl	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
66	ΙΉ	2				X									G2.1.3 Question appears to match K/A. Distractor D is not plausible. What kind of turnover between the OAC and BOP is required? Need to add this to make better choices. (better discriminating value)  NEW  Gerry to write new distractor for D. 8-19-09  CR3 -
67	I	2				х									G2.1.36 Question appears to match K/A. Distractor C does not make sense. Cease insertion of fuel assembly? What will the crew do with it? Stop and hold it in place. Please explain why this is plausible.  BANK  CR3 – Modified C distractor.
68	F	2												S	G2.1.40 Question appears to match K/A. SAT  MOD (need to see original question to ensure it is modified).  CR3 – No change

	1.	2.		3. Psyc	hometr	ic Flaws	5	4.	Job Conf	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
69	F	2				Х									G2.2.20 Question kind of matches K/A. Not sure if distractor D is plausible. Did not see in AI-500 where this was an option at any time.  BANK  CR3 - No change.
70	F	2												s	G2.2.38 Question appears to match K/A. Place wide range and narrow range in front of RB sump level (i.e. wide range RB sump level and) Otherwise SAT.  BANK  CR3 – Modified as requested.
71	F	2					-					X			G2.3.11 May not meet K/A. How are operators / plant controlling the release? Asked for a second opinion. Distractors B and C do not appear to be plausible.  MOD (need to see original question to ensure it is modified.  Will write a containment release (RMA1) that does not totally isolate.  CR3 – Modified as discussed.

	1.	2.	;	3. Psyc	hometri	ic Flaws	3	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
	F	2												S	G2.3.12 Question appears to match K/A. SAT
72							:								BANK
														1	CR3 – Modified stem to remove fluff. No change in intent.
73	F	2												S	<b>2.3.14</b> Question appears to match K/A. SAT Not very discriminating.
/3														s	NEW
														i	CR3 – No change.
74	F	2				Х								υ	2.4.35 Question kind of matches K/A. Distractors B &D are not plausible. Do the 480V switchgear rooms have DC knife switches located in them?
									* · · · · · · · · · · · · · · · · · · ·						BANK
							,								Will work on another angle to make better distractors.
															CR3 – Removed "knife switch" from stem and modified C and D distractors.

	1.	2.		3. Psychometric Flaws Stem Cues T/F Cred. Part			S	4.	Job Con	tent Fla	aws	5.	Other	6.	7.
Q#	LOK (F/H)	LOD (1-5)	Stem Focus		T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	U/E/ S	Explanation
75	F	2											٧		<b>G2.4.8</b> Question appears to match K/A. Could the shift manager also be the procedure director?
											5			S	NEW  CR3 – Not unless all the other SROs were unavailable. The SM could, but IAW AI-505, he would not due to other duties.

40 Sats, 14 Unsats, and 21 Enhancements

Generic Comments: All bank or modified questions should have the answers rotated from original (i.e. if the answer was originally A, swap the correct answer to B, C, or D.

Need to see the original questions for all modified questions.

Facility:	Crystal River 3	Date of Exam:	09/22/2009	Exam L	evel: <b>R</b>	RO/SRO
					Initials	3
	ltε	em Description		а	b	c
1. C		copied before grading		fe	N/A	
	nswer key changes documented	and question deletions j	ustified and	4/2		A
		ecked for addition errors ck > 25% of examination		fe		
I.	•	line cases (80 $\pm 2\%$ over on the SRO-only) review		42		2
	ll other failing exami are justified	nations checked to ensu	ure that grades	WIA		N/A
	deficiencies and wo	ed questions checked for rding problems; evaluate y half or more of the app	e validity of	A		A
		Printed Name/S	Signature		С	Date
a. Grade	₽F	ful fala	FJ EHRHAR	70	10/	4/09
b. Facilit	y Reviewer(*)	N/A		<b></b> -	ען	A
c. NRC (	Chief Examiner (*)	GERRO W. LASKA / Lone		<u>-</u>	10/	19/2009
d. NRC	Supervisor (*)	MULCOLUT. WIDHLAN	m/ Chunglu	U-	-10/	26/09
		signature is not applicab RC reviews are required		graded l	by the	NRC;

0 1 0 42 0 22 00			
Facility: CRYSTAL RIJER #3 Date of Exam: 9-22-09 Exam Level: ROX SROX			
	Initials		
Item Description	а	b	С
Clean answer sheets copied before grading	K	18	
Answer key changes and question deletions justified and documented	K	46	
Applicants' scores checked for addition errors     (reviewers spot check > 25% of examinations)	K	A	
<ol> <li>Grading for all borderline cases (80 ±2% overall and 70 or 80, as applicable, ±4% on the SRO-only) reviewed in detail</li> </ol>	K	46	
All other failing examinations checked to ensure that grades     are justified	A	Ab	
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	K	$\mathcal{U}$	
Printed Name/Signature		D	ate
a. Grader  ALAN KENNEDY Slan Kenne  b. Facility Reviewer(*)  Flyd Caurence flogd To	q	9-2	4-09
b. Facility Reviewer(*) Flyd Caurence flogs Its	Ó	4/2	6/09
c. NRC Chief Examiner (*)			
d. NRC Supervisor (*)			
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.			